

MISCELLANEOUS PAPERS

Centre for Entomological Studies Ankara

No 111/112

20 01 2007

ISSN 1015-8235

Synonymical and distributional List of the species of Bitlis Province (East Turkey) (Lepidoptera)¹

Muhabbet Kemal Ahmet Ömer Koçak

Abstract: Kemal, M. & A.Ö.Koçak, Synonymical and distributional List of the species of Bitlis Province (East Turkey) (Lepidoptera). *Cent. ent. Stud., Misc. Pap.* 111/112: 1-12.

This paper deals with the Lepidoptera species hitherto recorded in the Bitlis Province in the East Turkey. Totally 414 species are listed alphabetically under the relevant families. For each species, the scientific name, author, date of publication, synonyms, and distributional information in Turkey as provincial codes are given.

Key Words: *Lepidoptera*, fauna, checklist, Turkey, Bitlis Province.

This article is based upon the information of the Databank and the Collection of the Cesa. The aim is to inform the readers about the present situation of the Lepidoptera fauna of the Province Bitlis. This province is currently under investigation within the Project Lepidoptera of Turkey (LTR) carried out by the authors (Cesa) for the period 2007-2010. The publications on the Lepidoptera of Turkey used are listed in *Memoirs* vol.2 (1991) and 3-4 [under preparation]. In the list mentioned below, all the species known from the related province are given as current scientific name combination, author(s), date of publication. Totally 414 species are arranged alphabetically under the related families. Synonymous names are given with the author(s) and date of publication in the chronological order. Distributional information of each species indicates that the Turkish provinces in codes².

In the next issues of this serials you will find similar faunistic lists of the various provinces of Turkey, under investigation within the frame of the research Project of the Cesa.³

- 1) **Arctia (Epicallia) villica (Linnaeus,1758)** (Arctiidae) *villica* Linnaeus,1758; *corsica* Oberthür,1911; *niceensis* Oberthür,1911; *britannica* Oberthür,1911; *meridionalis* Heinrich,1923. 03 05 06 07 10 13 14 15 16 17 19 22 30 32 33 34 37 42 46 60 64 65 66 71
- 2) **Cymbalophora oetzeni (Lederer,1855)** (Arctiidae) *oetzeni* Lederer,1855 13 31 44 63
- 3) **Lacydes spectabilis (Tauscher,1806)** (Arctiidae) *spectabilis* Tauscher,1806; *intercissa* Freyer,1842. 03 06 13 23 24 25 26 30 38 42 46 50 58 65 70 73
- 4) **Nebrarctia semiramis (Staudinger,1892)** (Arctiidae) *semiramis* Staudinger,1892 13 24 30 65 73
- 5) **Ocnogyna (s.str.) loewii (Zeller,1846)** (Arctiidae) *loewii* Zeller,1846; *clathrata* Lederer,1855; *andresi* Draudt,1931. 01 07 13 15 27 30 31 32 33 65
- 6) **Utetheisa (s.str.) pulchella (Linnaeus,1758)** (Arctiidae) *pulchella* Linnaeus,1758; *pulchra* [Denis & Schiffermüller],1775; *thyer* Butler,1877; *shyama* Bhattacharjee & Gupta,1969; *menoni* Bhattacharjee & Gupta,1969. 01 05 07 13 16 21 30 33 44 46 47 48 56 58 63 65
- 7) **Aglais urticae (Linnaeus,1758)** (Argynnidae) *urticae* Linnaeus,1758; *opima* Verity,1919; *variegata* Querci,1932; *strandii* Verity,1936. 01 02 03 04 05 06 07 08 10 11 12 13 14 16 17 18 19 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 69 70 73 74 76 78 81
- 8) **Argynnis (Fabriciana) niobe (Linnaeus,1758)** (Argynnidae) *niobe* Linnaeus,1758. 01 03 04 05 06 07 08 11 12 13 14 15 16 18 23 24 25 27 29 30 31 32 33 35 36 38 39 42 43 44 46 47 48 49 50 51 53 56 58 60 61 62 65 66 69 71 70 73 74 76 80
- 9) **Argynnis (Pandoriana) pandora ([Denis & Schiffermüller],1775)** (Argynnidae) *pandora* [Denis & Schiffermüller],1775; *maja* Cramer,1775 *nec* Fabricius,1775; *cynara* Fabricius,1777; *cyrnea* Schwerda,1926; *transcaucasica* Moucha,1967; *deserticola* Gross & Ebert,1975. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 46 47 48 49 50 51 52 53 55 56 58 60 61 62 63 65 66 67 69 70 71 72 73 74 76 77 78 80 81
- 10) **Argynnis (Speyeria) aglaja (Linnaeus,1758)** (Argynnidae) *aglaja* Linnaeus,1758; *charlotta* Haworth,1802; *emilia* Acerbi,1802 *nec* Cr.,1779; *caroletta* Jermyn,1827; *locuples* Verity,1919 *nec* Butler,1879; *emilocuples* Verity,1919; *locupletata* Verity,1922; *montesignum* Sagarra,1926. 01 03 04 05 06 07 08 10 11 13 14 16 18 24 25 26 28 29 30 31 32 33 34 36 37 39 42 43 46 50 51 53 57 58 60 61 62 65 66 67 69 74 76

¹ This faunal list is the preliminary results based upon the Databank of the Cesa, and a part the Project entitled "Lepidoptera of Turkey (LTR)" See: Koçak,A.Ö. & M.Kemal, 2007, Results of the International Projects of the CESA on the Lepidoptera of the World- I. *Cent. ent. Stud., Memoirs* 3-4: [in preparation].

² The explanations of the codes are obtainable in the following internet address: <http://www.members.tripod.com/Cesa88/CODE.doc>

³ see also Priamus 11 (5), 11 (6)

- 11) **Argynnis (s.str.) paphia (Linnaeus,1758)** (Argynnidae) *paphia* Linnaeus,1758; *valesina* Esper,[1798]; *magnata* Verity,1919; *revelata* Verity,1934; *magnifica* Verity,1919; *magnificamagnata* Verity,1950. 01 02 05 06 07 08 09 10 11 13 14 16 17 24 25 29 30 31 32 33 34 35 36 37 39 41 42 43 46 48 53 55 60 61 62 65 67 74 76 77 78 81
- 12) **Brenthis daphne (Bergsträsser,1780)** (Argynnidae) *daphne* Bergsträsser,1780; *chloris* Esper,1778 *nec* Fabricius,1775; *epidaphne* Fruhstorfer,1907; *nikator* Fruhstorfer,1909; *tenuitermaculosa* Verity,1922; *syriaca* Belter,1935; *anatolica* Belter,1935. 01 03 05 07 08 10 11 13 15 16 17 20 22 23 24 25 29 30 31 32 33 34 36 37 39 42 43 44 45 46 48 49 59 60 62 69 73 76
- 13) **Brenthis hecate ([Denis & Schiffermüller],1775)** (Argynnidae) *hecate* [Denis & Schiffermüller],1775; *harmothoe* Fruhstorfer,1917; *florida* Verity,1919; *stricta* Verity,1933. 03 05 06 08 10 13 16 23 24 25 29 30 34 36 37 39 42 44 49 58 60 62 65 66 69 70 73 74 76
- 14) **Cynthia cardui (Linnaeus,1758)** (Argynnidae) *cardui* Linnaeus,1758; *carduelis* Cramer,1775; *elymi* Rambur,1829; *kershawi* McCoy,1868; *pallida* Schoyen,1881; *universa* Verity,1919; *takesakiana* Kato,1925. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 67 68 69 70 71 72 73 74 76 78 80 81
- 15) **Euapatura mirza Ebert,1971** (Argynnidae) *mirza* Ebert,1971; *iwasei* Igarashi,1971. 13 30 56 65 73
- 16) **Issoria lathonia (Linnaeus,1758)** (Argynnidae) *lathonia* Linnaeus,1758; *saturata* Röber,1897; *hungarica* Aigner-Abafi,1906; *florens* Verity,1916; *emiflorens* Verity,1919; *attenuata* Sagarra,1926; *nigroprivata* Verity,1933. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 48 49 50 51 52 53 55 57 58 59 60 61 62 65 66 67 69 70 71 73 74 76 77 80 81
- 17) **Limnitis (Azuritis) reducta Staudinger,1901** (Argynnidae) *reducta* Staudinger,1901. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 62 65 66 67 71 73 75 76 77 78
- 18) **Melitaea (Cinclidia) (phoebe) phoebe (Goeze,1779)** (Argynnidae) *#phoebe* [Denis & Schiffermüller],1775; *phoebe* Goeze,1779; *paedotropos* Bergsträsser,[1780]; *tremulae* Piller & Mitterpacher,1783. 01 04 05 06 08 10 11 13 14 16 17 22 23 24 25 26 27 30 33 34 36 39 41 42 44 50 51 55 58 59 61 62 65 66 69 71 73 74 77 78 80
- 19) **Melitaea (Cinclidia) (phoebe) punica Oberthür,1876** (Argynnidae) *punica* Oberthür,1876 01 02 03 05 06 07 08 10 12 13 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 41 42 43 44 46 48 49 50 51 55 58 60 62 65 66 68 69 70 71 73 76 80
- 20) **Melitaea (Didymaeformis) didyma (Esper,[1779])** (Argynnidae) *didyma* Esper,[1779]; *armoricana* Oberthür,1909. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 58 60 61 62 63 64 65 66 67 68 69 70 71 73 74 76 78 80
- 21) **Melitaea (Didymaeformis) fascelis (Fabricius,1787)** (Argynnidae) *#trivia* Denis & Schiffermüller,1775; *iphigenia* Esper,1782 (*praeoc.*); *#fascelis* Esper,1783; *fascelis* Fabricius,1787; *cleo* Latreille,1803 01 02 03 05 06 07 08 09 10 11 12 13 15 16 17 18 19 20 22 23 25 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 69 70 71 73 76 77 80 81
- 22) **Melitaea (Didymaeformis) perseae Kollar,[1849]** (Argynnidae) *perseae* Kollar,[1849]; *caucasica* Stgr.,1861; *magnacasta*, *araratica* Verity,1929; *sargon* Hemming,1932; *tauricus* Belter,1934; *caucasicola* Bryk,1940; *hafiz*, *gina* Higgins,1941; *darius*, *pfeifferi*, *wernickei*, *elbursicola*, *safawides* Gross & Ebert,1975. 02 13 21 23 24 25 27 30 36 44 46 47 49 56 62 63 65 72 73 75
- 23) **Melitaea (s.str.) arduinna (Fabricius,1787)** (Argynnidae) *arduinna* Fabricius,1787; *rhodopensis* Freyer,[1836]; *uralensis* Eversmann,1844. 01 02 05 07 10 13 21 24 25 27 30 31 32 36 42 43 44 46 47 49 56 65 72 73 80
- 24) **Melitaea (s.str.) cinxia (Linnaeus,1758)** (Argynnidae) *cinxia* Linnaeus,1758; *abacus* Retzius,1783; *fulla* Quensel,1791. 01 02 03 04 05 06 07 08 12 13 14 16 17 18 20 21 23 24 25 26 27 28 29 30 31 32 33 34 36 37 38 39 41 42 43 44 46 47 48 49 50 51 52 55 56 58 60 61 62 65 66 69 70 71 73 74 76 80
- 25) **Nymphalis polychloros (Linnaeus,1758)** (Argynnidae) *polychloros* Linnaeus,1758; *testudo* Esper,1781; *pyrrhomelaena* Hübner,1824; *pyromelas* Freyer,1834; *fervida* Standfuss,1896. 01 03 05 06 07 08 09 10 11 13 14 16 17 18 19 20 21 22 23 25 26 30 31 32 33 34 35 36 40 41 42 43 44 45 46 47 48 50 51 52 56 58 60 62 65 71 73
- 26) **Nymphalis xanthomelas (Esper,[1781])** (Argynnidae) *#xanthomelas* [Denis & Schiffermüller],1775; *xanthomelas* Esper,[1781] 01 05 06 08 12 13 16 24 25 30 31 33 34 36 42 46 49 51 62 69 72 73 76
- 27) **Polygonia (Comma) c-album (Linnaeus,1758)** (Argynnidae) *c-album* Linnaeus,1758; *g-album* Fourcroy,1785. 03 05 06 08 11 13 14 16 17 18 20 22 24 25 27 29 30 31 32 33 34 36 37 39 41 42 43 44 46 48 49 50 52 53 55 59 60 61 62 65 66 73 74 76 78 81
- 28) **Polygonia (Comma) egea (Cramer,[1775])** (Argynnidae) *egea* Cramer,[1775] (*junior* homonym); *vaualbum* Esper,1780; *l-album* Esper,1789; *triangulum* Fabricius,1793; *autumnalis* Stefanelli,1873; *#balucha* Evans,1932; *#pallida* Evans,1932. 01 02 04 05 06 07 08 09 13 14 16 17 20 21 23 24 25 26 27 29 30 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 53 58 60 62 63 65 66 68 71 72 73 76 78
- 29) **Thaleropsis ionia (Eversmann,1851)** (Argynnidae) *ionia* Eversmann,1851; *ammonia* Herrich-Schäffer,1851. 03 05 06 07 08 13 21 23 24 25 28 30 32 33 42 44 47 48 58 60 62 65 73
- 30) **Vanessa atalanta (Linnaeus,1758)** (Argynnidae) *atalanta* Linnaeus,1758; *amiralis* Retzius,1783; *#klemensiewiczzi* Schille,1896; *#klime* Fischer,1896; *italica* Stichel,1900. 01 03 05 06 07 08 10 11 13 14 16 17 18 21 22 23 24 25 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 45 46 48 50 51 52 53 55 58 59 60 61 62 63 65 66 71 74 78 80 81
- 31) **Apiletria (Aretascetis) endopercna (Meyrick,1936)** (Autostichidae) *endopercna* Meyrick,1936 13 42 63
- 32) **Axia (Epimelia) theresiae (Korb,1900)** (Cimeliidae) *theresiae* Korb,1900 06 13 29 30 42 44 50 58 65 76
- 33) **Coleophora bitlisella Baldizzone,1994** (Coleophoridae) *bitlisella* Baldizzone,1994 13
- 34) **Coleophora galbulipennella Zeller,1838** (Coleophoridae) *galbulipennella* Zeller,1838; *otitae* Zeller,1839. 06 13 29 30 46
- 35) **Coleophora gazella Toll,1952** (Coleophoridae) *gazella* Toll,1952 06 13 42 58
- 36) **Coleophora necessaria Staudinger,1880** (Coleophoridae) *necessaria* Staudinger,1880; *indiges* Falkovitsh,1992. 05 06 13 50 58
- 37) **Coleophora obtectella Zeller,1849** (Coleophoridae) *obtectella* Zeller,1849 04 06 13 25 29 42 50 53 58
- 38) **Coleophora ochrea (Haworth,[1828])** (Coleophoridae) *ochrea* Haworth,[1828] 03 06 13 30 42 46 71
- 39) **Coleophora symphistropa Reznik,1976** (Coleophoridae) *symphistropa* Reznik,1976 13
- 40) **Coleophora univittella Staudinger,1880** (Coleophoridae) *univittella* Staudinger,1880 04 06 13 29 32 38 42 44 45 50 53 58 70
- 41) **Azygophleps regia (Staudinger,1892)** (Cossidae) *regia* Staudinger,1892 01 08 12 13 30 65
- 42) **Cossus cossus (Linnaeus,1758)** (Cossidae) *cossus* Linnaeus,1758; *unguiculatus* Fabricius,1794; *ligniperda* Fabricius,1794 01 05 06 12 13 14 16 17 19 23 25 30 36 42 46 49 53 55 58 60 61 65 73
- 43) **Isoceras bipunctatum (Staudinger,1887)** (Cossidae) *bipunctatum* Staudinger,1887 06 07 13 25 27 29 30 33 38 46 49 56 58 60 63 71 73
- 44) **Chionodes distinctella (Zeller,1839)** (Gelechiidae) *distinctella* Zeller,1839; *striolatella* Heinemann,1870; *tristella* Teich,1889; *indistinctella* Rebel,1901; *latiorella* Amsel,1939; *unicolor* Toll,1948; *deserticola* Piskunov,1979. 06 13 16 24 25 38 76
- 45) **Abraxas (Calospilos) pantaria (Linnaeus,1767)** (Geometridae) *pantaria* Linnaeus,1767 13 30
- 46) **Aplasta ononaria (Fuessly,1783)** (Geometridae) *ononaria* Fuessly,1783; *rubellata* Villers,1789; *rubicaprararia* Hübner,1793; *sudataria* Hübner,[1817] 05 06 09 13 16 17 23 31 33 39 40 41 42 46 48 59 65 71
- 47) **Aplocera columbata (Metzner,1845)** (Geometridae) *columbata* Metzner,1845; *nomadaria* Herrich-Schäffer,1848 05 06 13 14 16 24 25 42 58 76
- 48) **Aplocera guneyi Riemis,1992** (Geometridae) *guneyi* Riemis,1992 13 65

- 49) **Colotois pennaria** (Linnaeus,1761) (Geometridae) *pennaria* Linnaeus,1761; *cerasi* Fabricius,1775; *bifidaria* Haworth,1809 05 06 13 22 33 34
- 50) **Entephria ignorata** (Staudinger,1892) (Geometridae) *ignorata* Staudinger,1892 13 51 69
- 51) **Eupithecia mesogrammata** Dietze,1908 (Geometridae) *mesogrammata* Dietze,1908; *mesogrammata* L.B.Prout,1914. 13
- 52) **Gnophos (Microgrophos) pseudosnelleni** (Rjabov,1964) (Geometridae) *pseudosnelleni* Rjabov,1964 13 62
- 53) **Idaea rusticata** (Denis & Schiffermüller,1775) (Geometridae) *rusticata* [Denis & Schiffermüller],1775; *mustelata* Rambur,1866. 05 06 13 16 22 38 39 42 58
- 54) **Pellonia vibicaria** (Linnaeus,1761) (Geometridae) *vibicaria* Clerck,1759; *vibicaria* Linnaeus,1761; *cruentata* Scopoli,1763; *rubrofasciata* Hufnagel,1767; *artriosa* Fourcroy,1785; *cruentaria* Villers,1789. 05 13 14 22 29 34 38 39 42 59 65 69 76
- 55) **Thalera fimbrialis** (Scopoli,1763) (Geometridae) *fimbrialis* Scopoli,1763; *thymiaris* Linnaeus,1767; *bupleuraria* [Denis & Schiffermüller],1775; *albaria* Esper,[1801]; *magnata* Fuchs,1903 05 13 16 17 22 30 33 34 41 42 46 58 62 65 75
- 56) **Carcharodus (Lavatheria) lavatherae** (Esper,[1783]) (Hesperiidae) *lavatherae* Esper,[1783]; *australior* Verity,1919; *pyrenaicus* Ricard,1948. 01 03 05 06 07 08 12 13 14 17 18 19 21 23 24 25 29 30 32 33 36 37 38 40 41 42 44 46 49 50 51 56 58 60 62 65 66 68 70 73 74 75 76
- 57) **Carcharodus (Reverdinus) orientalis** Reverdin,1913 (Hesperiidae) *orientalis* Reverdin,1913; *centralanatolica* Pfeiffer,1927; *aestatis* Verity,1928; *postorientalis* Verity,1928; *maccabaeus* Hemming,1932. 01 03 05 06 07 08 10 13 14 16 17 18 19 20 21 23 24 25 27 29 30 31 32 33 34 35 36 38 42 43 44 46 47 48 49 50 51 56 58 60 62 65 66 69 70 73 74 76
- 58) **Carcharodus (s.str.) alceae** (Esper,[1780]) (Hesperiidae) *alceae* Esper,[1780]; *malvae* Hufnagel,1766 *nec* Linn.,1758; *malvarum* Hoffmannsegg,1804; *magnaustalis* Verity,1924; *corsicus* Picard,1948. 01 03 04 05 06 07 08 09 10 12 13 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 38 41 42 43 44 45 46 47 48 49 50 51 53 56 58 60 62 63 65 66 67 70 71 72 73 74 76
- 59) **Erynnis (Hesperopegus) marloyi** (Boisduval,[1834]) (Hesperiidae) *marloyi* Boisduval,[1834]; *sericea* Freyer,1838; *rustan* Kollar,[1849]. 01 03 04 05 06 07 08 09 12 13 16 17 18 21 23 24 25 27 28 29 30 31 32 33 34 35 36 38 40 42 44 46 48 50 58 60 62 65 66 70 71 73 76
- 60) **Erynnis (s.str.) tages** (Linnaeus,1758) (Hesperiidae) *tages* Linnaeus,1758; *morio* Scopoli,1763; *geryon* Rottemburg,1775; *subclarus* Verity,1921. 01 03 05 06 07 08 11 12 13 14 16 17 18 21 22 23 24 25 26 28 29 30 31 32 33 34 35 36 37 38 41 42 44 45 46 49 50 51 52 54 56 58 59 62 65 66 67 69 70 71 73 75 76
- 61) **Hesperia comma** (Linnaeus,1758) (Hesperiidae) *comma* Linnaeus,1758; *virgula* Retzius,1783; *alpina* Bath,1896; *galliaemeridiei* Verity,1928; *alpapennina* Verity,1928; *alpiumflava* Verity,1928; *macrocomma* Verity,1928; *superalpina* Verity,1928; *atralpina* Verity,1928. 03 04 05 06 07 08 10 13 14 15 16 23 24 25 29 30 32 33 35 36 38 42 46 50 51 58 60 65 66 69 70 71 76 81
- 62) **Muschampia nomas** (Lederer,1855) (Hesperiidae) *nomas* Lederer,1855 01 03 05 06 07 12 13 21 23 27 31 32 33 38 42 44 46 47 49 50 51 58 60 62 63 70 73
- 63) **Muschampia poggei** (Lederer,1858) (Hesperiidae) *poggei* Lederer,1858 01 07 12 13 21 23 24 25 27 30 33 42 44 46 47 49 56 58 62 63 65 70
- 64) **Muschampia proteides** (Wagner,1929) (Hesperiidae) *proteides* Wagner,1929; *lycaonius* Wagner,1929; *sovietica* Sichel,1964; *lycaonius* Benjamini & Avni,2001 [misident.]; *Hylcaomius* Benjamini & Avni,2001 01 03 05 06 07 08 13 14 15 21 24 25 32 33 38 42 43 44 46 49 51 58 60 65 70 76
- 65) **Muschampia tersa** Evans,1949 (Hesperiidae) *tersa* Evans,1949 13 30 65 73
- 66) **Ochlodes venatus** (Bremer & Grey,[1852]) (Hesperiidae) *venatus* Bremer & Grey,[1852] 01 02 03 05 06 07 08 10 11 13 14 16 17 24 25 26 29 30 31 32 33 34 36 37 39 41 42 43 46 53 58 60 61 62 65 66 69 72 73 74 81
- 67) **Pyrgus armoricanus** (Oberthür,1910) (Hesperiidae) *armoricanus* Oberthür,1910; *petheri* Romei,1927. 01 02 03 04 05 06 07 08 09 12 13 14 16 17 18 19 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 41 42 43 44 46 48 49 51 52 53 58 60 61 62 65 66 68 69 70 71 73 74 76
- 68) **Pyrgus cinarae** (Rambur,[1839]) (Hesperiidae) *cinarae* Rambur,[1839]; *cynarae* Boisduval,1840 01 03 05 06 08 13 15 16 22 25 29 30 33 35 36 38 42 43 53 58 60 62 76
- 69) **Pyrgus cirsii** (Rambur,[1839]) (Hesperiidae) *cirsii* Rambur,[1839]; *turcivola* De Lattin,1950. 08 13 24 25 36 65 69 75 76
- 70) **Pyrgus melotis** (Duponchel,[1834]) (Hesperiidae) *melotis* Duponchel,[1834]; *hypoleucos* Lederer,1853; *jordana* Hemming,1932. 01 02 03 04 05 06 07 08 09 10 12 13 14 18 20 21 23 24 25 27 28 29 30 31 32 33 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 81
- 71) **Pyrgus serratulae** (Rambur,[1839]) (Hesperiidae) *serratulae* Rambur,[1839]; *caecus* Freyer,1846; *occidentalis* Lucas,1910 *nec* Skinn.,1906; *planorum* Verity,1925; *magnagallica* Verity,1931; *plurisignata* Silbernagel,1946; *arvernensis* Picard,1948. 01 03 04 05 06 07 08 12 13 14 17 18 23 24 25 27 28 29 30 31 32 33 34 36 37 38 42 46 47 48 49 50 51 52 53 54 58 60 61 62 65 66 69 70 71 73 74 76
- 72) **Pyrgus sidae** (Esper,[1784]) (Hesperiidae) *sidae* Esper,[1784] 01 03 04 05 06 07 08 10 12 13 14 16 17 18 20 21 23 24 25 28 29 30 32 33 34 35 36 38 42 43 44 46 48 49 50 51 52 53 58 60 61 65 66 69 70 71 73 74 76 81
- 73) **Spialia (Neospialia) orbifer** (Hübner,[1823]) (Hesperiidae) *orbifer* Hübner,[1823]; *tesselloides* Herrich-Schäffer,[1845]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 64 65 66 68 69 70 71 72 73 74 75 76 77 80
- 74) **Spialia (s.str.) osthelderi** (Pfeiffer,1932) (Hesperiidae) *osthelderi* Pfeiffer,1932 13 21 23 27 30 31 46 63
- 75) **Spialia (s.str.) phlomidis** (Herrich-Schäffer,[1845]) (Hesperiidae) *phlomidis* Herrich-Schäffer,[1845]; *eupator* Hemming,1932; *kiki* Higgins,1974. 03 04 05 06 07 08 10 12 13 14 15 16 17 19 23 24 25 26 29 30 32 34 36 38 42 44 49 50 51 58 60 62 65 66 69 70 71 75 76
- 76) **Thymelicus acteon** (Rottemburg,1775) (Hesperiidae) *acteon* Rottemburg,1775; *heydeni* Plötz,1884; *clara-obsoleta* Tutt,1920; *phoenix* Graves,1925; *aurescens* Verity,1948. 01 05 06 07 10 13 16 17 19 20 21 23 24 25 29 30 32 33 34 35 36 39 43 44 45 46 48 54 55 56 58 60 62 65 72 73 74 77 80
- 77) **Thymelicus hyrax** (Lederer,1861) (Hesperiidae) *hyrax* Lederer,1861; *pfeifferi* Bytinski-Salz & Brandt,1937. 01 05 06 07 08 09 13 16 18 23 24 25 29 30 31 33 35 36 42 46 48 65 73
- 78) **Thymelicus lineolus** (Ochsenheimer,1808) (Hesperiidae) *lineolus* Ochsenheimer,1808; *virgula* Hübner,1813 *nec* Retz.,1783; *ludoviciae* Mabilie,1883; *pallida* Tutt,1896; *clara* Tutt,1905; *hemmingi* Romei,1927; *melissus* Zerny,1932; *forax* Hemming,1934 01 02 03 04 05 06 07 08 10 12 13 14 15 16 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 36 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 62 63 65 66 69 70 71 72 73 74 76 80
- 79) **Thymelicus novus** (Reverdin,1916) (Hesperiidae) *novus* Reverdin,1916 04 05 13 21 23 25 30 46 47 56 62 65 73
- 80) **Thymelicus sylvestris** (Poda,1761) (Hesperiidae) *sylvestris* Poda,1761; *flava* Brünnich,1763; *linea* Müller,1764; *thaumas* Hufnagel,1766; *divaricatus* Fourcroy,1785; *venula* Hübner,[1813]; *obscura* Verity,1905 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 56 58 60 61 62 63 64 65 66 67 69 70 71 72 73 74 76 81
- 81) **Eriogaster rimicola** (Schränk,1802) (Lasiocampidae) *#rimicola* [Denis & Schiffermüller],1775; *rimicola* Schränk,1802 06 13 24 25 33 71
- 82) **Lasiocampa eversmanni** (Kindermann,1843) (Lasiocampidae) *eversmanni* Kindermann,1843; *eversmanni* Freyer,1844; *attrita* Stshetkin,1960. 01 04 06 07 13 19 23 25 30 36 46 50 56 58 62 63 65 71

- 83) **Lasiocampa grandis** (Rogenhofer,1891) (Lasiocampidae) *grandis* Rogenhofer,1891 01 06 07 11 12 13 14 19 41 42 44 46 50 56 62
- 84) **Malacosoma alpicola** Staudinger,1870 /**primum** Staudinger,1887 (Lasiocampidae) *alpicola* Staudinger,1870 12 13 30 36 44 45 60 65 66 69
- 85) **Malacosoma castrensis** (Linnaeus,1758) (Lasiocampidae) *castrensis* Linnaeus,1758 04 05 06 12 13 14 16 23 24 25 30 33 35 36 38 42 53 58 60 65 71
- 86) **Malacosoma neustrium** (Linnaeus,1758) (Lasiocampidae) *neustria* Linnaeus,1758; *annularis* Fourcroy,1785; *unicolor* Cyrilli,1787; *bilineatus* Haworth,1803 05 06 08 12 13 14 17 19 22 23 25 30 32 33 35 36 37 42 46 53 58 60 61 62 65 71
- 87) **Phylloidesma tremulifolium** (Hübner,[1810]) (Lasiocampidae) *betulifolium* Ochsenheimer,1810 *nec* Esp.,1782; *tremulifolium* Hübner,[1810]; *#tremulifolium* De Freina,1999 01 05 06 07 10 12 13 24 25 30 32 33 36 42 46 58 60 62 64 65 71
- 88) **Lemonia ballioni** (Christoph,1888) (Lemoniidae) *ballioni* Christoph,1888 01 04 05 13 23 25 44 46 50 56 58 70
- 89) **Libythea (s.str.) celtis** (Laicharting,1782) (Libytheidae) *celtis* Laicharting,1782 01 03 05 06 07 08 09 10 11 13 14 16 17 20 23 25 26 29 30 31 32 33 34 35 37 38 41 42 43 46 48 58 60 62 65 66 71 73 76
- 90) **Latoia inexpectata** (Staudinger,1895) (Limacodidae) *inexpectata* Staudinger,1895 12 13 30 31
- 91) **Callophrys rubi** (Linnaeus,1758) (Lycaenidae) *rubi* Linnaeus,1758 01 03 05 06 07 08 10 12 13 14 16 17 18 21 22 24 25 26 28 29 30 31 32 33 34 35 36 37 38 39 40 42 44 45 46 48 50 51 52 55 58 60 62 65 66 69 70 71 73 75
- 92) **Callophrys suaveola** (Staudinger,1881) (Lycaenidae) *suaveola* Staudinger,1881 04 13 25 30 36 58 65 73
- 93) **Celastrina argiolus** (Linnaeus,1758) (Lycaenidae) *argiolus* Linnaeus,1758; *cleobis* Sulzer,1776; *thersanon* Bergsträßer,1779; *argyphontes* Bergsträßer,1779; *argalus* Bergsträßer,1779; *marginatus* Retzius,1783; *acis* Fabricius,1787 *nec* Dru.,[1773]; *#parvipuncta* Fuchs,1880; *calidogenita* Verity,1919; *britannia* Verity,1919. 01 02 03 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 45 46 47 48 49 50 51 52 53 54 56 59 60 61 62 65 66 67 69 73 75 76 81
- 94) **Chilades (Freyeria) trochylus** (Freyer,[1843]) (Lycaenidae) *trochylus* Freyer,[1843]; *#trochilus* Herrich-Schäffer,[1845]; *parva* Murray,1874; *persa* Bytinski-Salz & Brandt,1937; *#supraradiata* Wagner,1931 01 02 03 05 06 07 08 13 16 20 21 23 24 25 27 30 31 32 33 34 35 38 40 44 46 48 50 51 56 58 60 62 63 65 68 70 71 73 76
- 95) **Cigaritis acamas** (Klug,1834) (Lycaenidae) *acamas* Klug,1834 01 12 13 21 23 24 27 30 31 33 46 47 62 63 65 73
- 96) **Cigaritis uighurica** Kemal & Koçak,2005 (Lycaenidae) *maxima* Staudinger,1901 *nec* Elw.,1892; *uighurica* Kemal & Koçak,2005 01 13 23 24 27 30 44 46 47 56 65 73
- 97) **Cupido (s.str.) osiris** (Meigen,[1829]) (Lycaenidae) *osiris* Meigen,[1829]; *saportae* Duponchel,1832; *violacea* Verity,1911; *sebrus* Boisduval,[1833]. 01 03 04 05 06 07 08 10 11 13 14 15 16 17 18 19 21 23 24 25 26 28 29 30 31 32 33 35 36 37 38 41 42 44 46 48 50 51 52 53 58 59 60 61 62 65 66 67 68 69 70 71 73 75 76 81
- 98) **Glaucopsyche (s.str.) alexis** (Poda,1761) (Lycaenidae) *alexis* Poda,1761; *damaetas* [Denis & Schiffermüller,1775; *#sublugens* Strand,1909; *#insulicola* Turati & Fiori,1930; *mironi* Coutsis,1976. 01 02 03 04 05 06 07 08 09 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 41 42 43 44 45 46 47 48 49 50 51 52 58 60 61 62 65 66 68 69 70 71 73 74 76 80
- 99) **Heodes (Loweia) tityrus** (Poda,1761) (Lycaenidae) *tityrus* Poda,1761; *acron* [Brünnich],1763; *orientalis* Staudinger,1881; *argentifex* Balint,1990. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 74 75 76 77 78 79
- 100) **Heodes (s.str.) virgaureae** (Linnaeus,1758) (Lycaenidae) *virgaureae* Linnaeus,1758; *armeniaca* A.Bang-Haas,1906; *chrysorhoas* Fruhstorfer,1917; *balcanicola* Graves,1928. 01 03 04 05 06 08 11 13 14 16 18 24 25 26 29 30 32 33 36 37 42 43 46 51 53 58 60 62 65 66 69 75 76
- 101) **Iolana lessei Bernardi**,1964 (Lycaenidae) *lessei* Bernardi,1964; *christinae* Betti,1977; *cappadocia* Betti,1977 01 03 05 06 07 08 13 15 16 18 21 23 24 25 30 33 37 38 42 43 46 48 50 51 60 62 65 70
- 102) **Lampides boeticus** (Linnaeus,1767) (Lycaenidae) *boeticus* Linnaeus,1767; *damoetes* Fabricius,1775; *coluteae* Fuessly,1775; *pisorum* Fourcroy,1785; *boedicus* Borkhausen,1788; *#baeticus* Latreille,1809; *armeniensis* Gerhard,1886; *bagus* Distant,1886 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 40 42 44 45 46 47 48 49 50 51 52 53 56 58 60 62 63 64 65 70 71 72 73 76
- 103) **Lycaena (s.str.) phlaeas** (Linnaeus,1761) (Lycaenidae) *phlaeas* Linnaeus,1761; *virgaureae* Fourcroy,1785 *nec* Linnaeus,1758; *eleus* Fabricius,1798; *aestivus* Zeller,1850; *schmidtii* Gerhard,1853 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 68 69 71 72 73 74 76 81
- 104) **Maculinea arion** (Linnaeus,1758) (Lycaenidae) *arion* Linnaeus,1758; *telegone* Bergsträßer,1779; *caucasica* Jachontov,1914 *nec* Led.,1870; *zara* Jachontov,1935. 03 04 05 06 08 13 14 16 24 25 29 34 36 49 62 65 69 74 76
- 105) **Margelycaena euphratica** (Eckweiler,1989) (Lycaenidae) *euphratica* Eckweiler,1989 02 12 13 25 30 49 65 73
- 106) **Palaeochrysophanus candens** (Herrich-Schäffer,[1845]) (Lycaenidae) *candens* Herrich-Schäffer,[1845] 03 04 05 06 08 13 14 16 18 24 25 28 29 30 36 43 49 53 58 60 61 65 66 69 75 76
- 107) **Plebejus (Kretania) carmon** (Gerhard,[1851]) (Lycaenidae) *carmon* Gerhard,[1851, November]; *euryphilus* Freyer,[1851,December]. 01 02 03 04 05 06 07 08 12 13 14 16 18 19 21 23 24 25 26 27 28 29 30 31 32 33 35 36 38 42 44 46 47 48 49 50 51 56 58 60 62 63 64 65 66 69 70 71 72 73 74 76
- 108) **Plebejus (Lycaeides) idas** (Linnaeus,1761) (Lycaenidae) *idas* Linnaeus,1761; *leodorus* Esper,1782; *acreon* Fabricius,1787; *amphion* Fabricius,1793. 01 03 04 05 06 07 08 13 14 16 18 19 24 25 26 29 30 33 36 37 38 42 44 46 49 51 52 53 58 62 65 66 67 69 70 73 74 76
- 109) **Plebejus (Plebejides) modicus** Verity,1935 (Lycaenidae) *modicus* Verity,1935; *microsephyrus* Verity,1935 01 02 03 04 05 06 07 08 12 13 14 16 17 18 19 21 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 42 44 46 47 48 49 50 51 52 53 56 58 59 60 62 65 66 68 69 70 71 72 73 75 76
- 110) **Plebejus (Plebejides) zephyrinus** (Christoph,1884) (Lycaenidae) *zephyrinus* Christoph,1884 13 30 65 73 76
- 111) **Plebejus (s.str.) argus** (Linnaeus,1758) (Lycaenidae) *argus* Linnaeus,1758; *aegon* Denis & Schiffermüller,1775; *plouharnelensis* Oberthür,1926; *pulchraphilonome* Verity,1931. 01 03 04 05 06 07 08 10 13 14 16 17 18 22 24 25 26 28 29 30 32 33 34 36 37 38 39 41 42 43 46 49 50 51 52 53 54 55 58 59 60 62 65 66 67 69 70 73 75 76
- 112) **Polyommatus (Agriades (s.str.)) pyrenaicus** (Boisduval,1840) (Lycaenidae) *pyrenaicus* Boisduval,1840; *#pyrenicus* Naderi,2003 04 05 08 13 16 24 25 29 38 42 51 53 58 60 65 69 76
- 113) **Polyommatus (Albulina (Plebejidea)) loewii** (Zeller,1847) (Lycaenidae) *loewii* Zeller,1847; *empyrea* Gerhard,[1851]; *gigas* Staudinger,1871; *#robusta* Turati & Fiori,1930; *germanicae* Pfeiffer,1932; *dzhigamati* Sheljuzhko,1934. 01 02 03 04 05 06 07 08 12 13 14 15 18 21 24 25 26 27 29 30 32 33 36 37 38 40 42 43 44 46 47 48 49 50 51 53 56 58 60 62 63 65 66 69 70 71 72 73 75 76 80
- 114) **Polyommatus (Albulina (Vacciniina)) alcedo** (Christoph,1877) (Lycaenidae) *alcedo* Christoph,1877 08 13 24 25 27 29 30 32 36 38 50 51 58 62 65 69 73 76
- 115) **Polyommatus (Aricia (Eumedonia)) eumedon** (Esper,[1780]) (Lycaenidae) *chiron* Rottemburg,1775 *nec* Fabricius,1775; *eumedon* Esper,[1780]; *osiris* Bang-Haas,1927 *nec* Hopffer,1855; *rumeliensis* Eitschberger & Stein.,1975; *jeanensis* Eitschberger & Stein.,1975; *kagizmanensis* Koçak,1980. 01 03 05 06 08 13 14 16 18 24 25 29 32 33 36 38 42 46 51 53 58 60 61 65 66 69 74 75 76
- 116) **Polyommatus (Aricia (Ultraaricia)) crassipunctus** (Christoph,1893) (Lycaenidae) *crassipunctus* Christoph,1893; *#crassipunctata* Seitz,1909. 08 13 21 24 25 30 36 38 44 46 53 62 65 75 76 80

- 117) **Polyommatus** (**Aricia** (s.str.)) **agestis** ([Denis & Schiffermüller],1775) (Lycaenidae) *medon* Hufnagel,1766 nec Linn.,1763; *alexis* Rottemburg,1775 nec Poda,1761; *agestis* [Denis & Schiffermüller],1775; *astrarche* Bergsträßer,[1779]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 41 42 44 45 46 47 48 49 50 51 54 55 56 58 60 61 62 63 65 66 68 69 70 71 72 73 75 76 81
- 118) **Polyommatus** (s.str. (**Agrodiaetus** (**Admetusia**))) **alcestis** (Zerny,1932) (Lycaenidae) *alcestis* Zerny,1932; *ahmadi* Carbonell,2001; *karacetinae* Lukhtanov & Dantchenko,2002. 01 04 06 13 14 21 23 24 25 26 30 32 33 36 38 42 44 46 50 51 58 62 65 66
- 119) **Polyommatus** (s.str. (**Agrodiaetus** (**Admetusia**))) **demavendi** (Pfeiffer,1938) (Lycaenidae) *demavendi* Pfeiffer,1938; *#demaventi* de Lesse,1960 04 05 06 13 18 23 24 25 36 38 50 58 60 62 65 66 71 76
- 120) **Polyommatus** (s.str. (**Agrodiaetus** (**Admetusia**))) **ripartii** (Freyer,[1830]) (Lycaenidae) *ripartii* Freyer,[1830]. 01 03 05 06 07 08 13 14 16 18 23 24 25 26 29 30 32 33 34 36 38 40 42 44 46 50 51 58 60 62 65 66 69 70 74 76
- 121) **Polyommatus** (s.str. (**Agrodiaetus** (**Antidolus**))) **antidolus** (Rebel,1901) (Lycaenidae) *antidolus* Rebel,1901 04 12 13 25 30 62 65 76
- 122) **Polyommatus** (s.str. (**Agrodiaetus** (**Antidolus**))) **kurdistanicus** (Forster,1961) (Lycaenidae) *kurdistanicus* Forster,1961 13 30 65
- 123) **Polyommatus** (s.str. (**Agrodiaetus** (**Antidolus**))) **menalcas** (Freyer,[1837]) (Lycaenidae) *menalcas* Freyer,[1837]; *epidolus* Boisduval,1840; *#amasina* Neuburger,1900. 01 03 04 05 06 07 10 11 13 15 16 20 23 24 25 26 29 32 33 34 38 40 42 43 44 46 48 50 51 55 58 60 62 65 66 68 69 70 71 74
- 124) **Polyommatus** (s.str. (**Agrodiaetus** (**Antidolus**))) **mithridates** (Staudinger,1878) (Lycaenidae) *mithridates* Staudinger,1878 02 05 06 07 08 13 19 21 23 24 25 29 32 38 40 42 44 46 50 51 58 62 65 66 68 70 71
- 125) **Polyommatus** (s.str. (**Agrodiaetus** (**Musa**))) **wagneri** (Forster,1956) (Lycaenidae) *wagneri* Forster,1956 01 03 04 06 07 08 13 23 24 25 29 30 32 33 36 38 42 46 50 51 58 60 62 65 66 69 70 76
- 126) **Polyommatus** (s.str. (**Agrodiaetus** (**Phyllisia**))) **baytopi** (De Lesse,1959) (Lycaenidae) *baytopi* De Lesse,1959 04 13 30 65 76
- 127) **Polyommatus** (s.str. (**Agrodiaetus** (**Phyllisia**))) **iphigenia** (Herrich-Schäffer,[1847]) (Lycaenidae) *iphigenia* Herrich-Schäffer,[1847] 01 03 04 05 06 07 08 13 14 16 24 25 29 30 32 33 36 37 38 42 46 48 51 53 58 60 62 65 66 69 70 76
- 128) **Polyommatus** (s.str. (**Agrodiaetus** (**Phyllisia**))) **vanensis** (De Lesse,1957) (Lycaenidae) *vanensis* De Lesse,1957 04 08 13 24 25 30 36 62 65 69 76
- 129) **Polyommatus** (s.str. (**Agrodiaetus** (**Transcaspus**))) **anticarmon** (Koçak,1983) (Lycaenidae) *anticarmon* Koçak,1983; *charmieuxi* Pagés,1994 13 25 30 65
- 130) **Polyommatus** (s.str. (**Agrodiaetus** (**Transcaspus**))) **elbursicus** (Forster,1956) (Lycaenidae) *elbursica* Forster,1956. 13 30 65
- 131) **Polyommatus** (s.str. (**Agrodiaetus** (**Transcaspus**))) **huberti** (Carbonell,1993) (Lycaenidae) *huberti* Carbonell,1993 04 08 13 24 25 29 30 36 65 69 76
- 132) **Polyommatus** (s.str. (**Agrodiaetus** (**Transcaspus**))) **ninae** (Forster,1956) (Lycaenidae) *ninae* Forster,1956 04 08 13 24 25 29 30 36 65 69 76
- 133) **Polyommatus** (s.str. (**Agrodiaetus** (**Transcaspus**))) **surakovi** Dantchenko & Lukhtanov,1994 (Lycaenidae) *surakovi* Dantchenko & Lukhtanov,1994; *sekercioglu* Dantchenko & Lukhtanov,2002 13 65 76
- 134) **Polyommatus** (s.str. (**Agrodiaetus** (**Transcaspus**))) **turcicus** (Koçak,1977) (Lycaenidae) *turcicus* Koçak,1977 04 08 13 24 25 29 30 36 62 65 69 76
- 135) **Polyommatus** (s.str. (**Cyaniris**)) **bellis** (Freyer,[1842]) (Lycaenidae) *bellis* Freyer,[1842]; *mesopotamica* Tutt,[1909]. 01 03 04 05 06 07 08 10 12 13 14 16 17 18 19 23 24 25 27 28 29 30 31 32 33 34 36 37 38 39 42 44 46 49 50 51 52 53 58 59 60 61 62 65 66 69 70 71 73 74 76 80
- 136) **Polyommatus** (s.str. (**Lysandra**)) **bellargus** (Rottemburg,1775) (Lycaenidae) *bellargus* Rottemburg,1775; *thetis* Rottemburg,1775 nec Dru.,1773; *adonis* Denis & Schiffermüller,[1775]; *salacia* Bergsträßer,1779; *venilia* Bergsträßer,1779; *hyacinthus* Lewin,1795; *uranica* Gerhard,[1851]; *persemagna* Verity,1937; *arentissima* Verity,1937; *arens* Verity,1937; *arentior* Verity,1937; *antearentior* Verity,1937; *parabellargus* Verity,1939; *shakla* Higgins,1958 01 02 03 04 05 06 07 08 11 12 13 14 15 16 18 19 20 21 23 24 25 26 27 28 29 30 32 33 34 36 37 38 39 41 42 43 44 46 49 50 51 52 53 55 58 60 61 62 65 66 68 69 70 71 72 73 74 75 76 80
- 137) **Polyommatus** (s.str. (**Lysandra**)) **corydonius** (Herrich-Schäffer,[1852]) (Lycaenidae) *corydonius* Herrich-Schäffer,[1852] 04 08 12 13 23 24 25 29 36 49 62 65 69 73 75 76
- 138) **Polyommatus** (s.str. (**Meleageria**)) **daphnis** ([Denis & Schiffermüller],1775) (Lycaenidae) *daphnis* [Denis & Schiffermüller],1775; *endymion* [Denis & Schiffermüller],1775 nec Fabricius,1775; *meleager* Esper,1778; *dalmatina* Wagner,1909. 01 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 20 21 23 24 25 26 29 30 31 32 33 34 35 36 38 40 42 43 44 46 48 49 50 51 53 58 60 62 65 66 68 69 70 71 73 74 76
- 139) **Polyommatus** (s.str. (**Neolysandra**)) **coelestinus** (Eversmann,1843) (Lycaenidae) *coelestinus* Eversmann,1843 01 04 05 06 07 08 12 13 23 24 25 28 29 30 36 38 42 44 49 52 58 62 65 69 73 76
- 140) **Polyommatus** (s.str. (**Plebicula**)) **amandus** (Schneider,1792) (Lycaenidae) *icarius* Esper,1789 nec Rottemburg,1775; *amandus* Schneider,1792 01 02 03 04 05 06 07 08 10 13 14 16 17 18 19 21 23 24 25 27 28 29 30 31 32 33 34 36 38 42 44 46 47 48 49 50 51 52 53 56 58 60 62 65 66 69 70 71 73 74 76 80
- 141) **Polyommatus** (s.str. (**Sublysandra**)) **aedon** (Christoph,1877) (Lycaenidae) *aedon* Christoph,1877 04 08 13 24 25 29 36 49 53 62 65 69 76
- 142) **Polyommatus** (s.str. (**Thersitesia**)) **thersites** (Canterer,[1835]) (Lycaenidae) *thersites* Canterer,[1835]; *chapmani* Ball,1914; *meridiana* Verity,1919. 01 02 03 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 38 39 40 42 43 44 46 48 49 50 51 52 54 58 59 60 62 64 65 66 68 69 70 71 74 75 76 81
- 143) **Polyommatus** (s.str.) **icarus** (Rottemburg,1775) (Lycaenidae) *argus* Poda,1761 nec Linn.,1758; *alexis* Scopoli,1763 nec Pda,1761; *thetis* Esper,1777 nec Dru.,1773; *icarus* Rottemburg,1775; *pampholyge* Bergsträßer,1779; *candybus* Bergsträßer,1779; *candiope* Bergsträßer,1779; *candaon* Bergsträßer,1779; *oceanus* Bergsträßer,1779; *fusciolus* Fourcroy,1785; *icarinus* Scriba,1795; *pusillus* Gerhard,1851; 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 63 64 65 66 67 68 69 70 71 72 73 75 76 81
- 144) **Pseudophilotes** **vicrama** (Moore,1865) (Lycaenidae) *vicrama* Moore,1865 01 03 04 05 06 07 08 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 42 43 44 45 46 47 48 49 50 51 58 60 62 63 64 65 66 67 68 69 70 71 73 74 76
- 145) **Rubrapterus** **bavius** (Eversmann,1832) (Lycaenidae) *bavius* Eversmann,1832 01 05 06 07 08 09 13 14 16 17 21 23 24 27 28 30 31 32 33 34 38 41 42 44 46 47 48 51 58 60 62 63 65 69 70 71 73 80
- 146) **Satyrrium** (**Nordmannia**) **abdominalis** (Gerhard,[1850]) (Lycaenidae) *abdominalis* Gerhard,[1850]; *gerhardi* Staudinger,[1895]; *alboabdominalis* Pfeiffer,1938; *persica* Riley,1939; *#gerhardi* Wiltshire,1943; *elta* Higgins,1964. 02 05 06 07 08 12 13 17 18 19 21 23 24 25 27 29 30 31 32 33 35 36 38 42 44 46 47 49 50 51 52 58 60 62 63 65 66 69 70 71 72 73 76 80
- 147) **Satyrrium** (**Nordmannia**) **armenum** (Rebel,1901) (Lycaenidae) *armenum* Rebel,1901 04 08 13 24 25 30 36 49 62 65 69 76
- 148) **Satyrrium** (**Nordmannia**) **zabni** Oorschot & Brink,1991 (Lycaenidae) *#zabni* Higgins,1964; *zabni* Oorschot & Brink,1991. 02 13 21 23 27 30 31 44 46 47 49 56 62 65 72 73
- 149) **Satyrrium** (**Strymonidia**) **spini** (Fabricius,1787) (Lycaenidae) *#spini* [Denis & Schiffermüller],1775; *lynceus* Esper,[1779] nec Drury,1773; *spini* Fabricius,1787; *cerasi* Herbst,1804 nec Fabricius,1787; *#albosparsa* Oberthür,1910; *anatolicus* De Lattin,1950.

- 01 03 04 05 06 07 08 13 15 16 17 18 19 24 25 26 27 29 30 31 32 33 34 36 38 41 42 43 44 46 48 49 50 51 56 58 60 62 65 66 68 69 70 71
73 74 76 80
- 150) *Satyrrium (Strymonidia) w-album (Knoch,1782)* (Lycaenidae) *w-album Knoch,1782; cerasi Fabricius,1787; majuscula Jachontov,1911.* 05 06 07 08 13 14 16 24 34 41 42 44 48 53 65
- 151) *Tarucus (s.str.) balkanicus (Freyer,[1843])* (Lycaenidae) *balkanicus Freyer,[1843]* 01 02 03 05 06 07 08 10 12 13 16 17 20 21 23
25 27 30 33 36 46 48 56 59 60 62 65 67 70 71 72 73
- 152) *Thersamolycaena (Alciphronia) alciphron (Rottensburg,1775)* (Lycaenidae) *alciphron Rottensburg,1775; lampetie [Denis & Schiffermüller],1775; hiere Fabricius,1787.* 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 21 23 24 25 26 27 28 29 30 31 32
33 34 35 36 37 38 39 42 43 44 46 49 50 51 53 58 60 61 62 65 66 69 71 73 74 76
- 153) *Thersamonia (s.str.) asabinus (Gerhard,[1850])* (Lycaenidae) *#helius Herrich-Schäffer,[1851]; asabinus Herrich-Schäffer,[1852].* 01 03 04 05 07 08 12 13 21 23 24 25 30 32 33 36 42 44 46 47 50 51 52 58 62 65 70 73
- 154) *Thersamonia (s.str.) kefersteinii (Gerhard,[1850])* (Lycaenidae) *kefersteinii Gerhard,[1850]; phaeton Freyer,[1850]; #ochimus Herrich-Schäffer,[1851]; ochimus Herrich-Schäffer,[1852].* 01 02 04 05 06 07 08 11 12 13 14 21 23 24 25 29 30 32 33 35 36 38 42
43 44 46 47 50 51 58 60 62 63 65 66 68 69 70 71 73 76
- 155) *Thersamonia (s.str.) kurdistanica (Riley,1921)* (Lycaenidae) *kurdistanica Riley,1921* 13 30 65 73
- 156) *Thersamonia (s.str.) lampon (Lederer,1870)* (Lycaenidae) *lampon Lederer,1870* 13 25 30 65
- 157) *Thersamonia (s.str.) thetis (Klug,1834)* (Lycaenidae) *thetis Klug,1834.* 01 03 04 05 06 07 08 12 13 16 24 25 29 30 32 33 35 36 38
42 46 48 49 51 58 60 62 65 66 69 70 71 73 76
- 158) *Tomares callimachus (Eversmann,1848)* (Lycaenidae) *callimachus Eversmann,1848* 13 30 36 44 46 47 63 65 73 76
- 159) *Tomares romanovi (Christoph,1882)* (Lycaenidae) *romanovi Christoph,1882* 04 12 13 23 30 36 47 62 65 73 76
- 160) *Turanana endymion (Freyer,[1850])* (Lycaenidae) *endymion Freyer,[1850]* 01 02 03 04 05 06 07 08 13 14 15 21 23 24 25 26 29 30
31 32 33 35 36 38 42 44 46 47 50 51 52 58 60 62 65 66 69 70 71 73 76
- 161) *Euproctis chrysorrhoea (Linnaeus,1758)* (Lymantriidae) *chrysorrhoea Linnaeus,1758; phaeorrhoeus Haworth,1803* 04 05 06 08 12
13 14 16 19 24 25 36 38 42 46 50 58 60 65 66 71
- 162) *Leucoma salicis (Linnaeus,1758)* (Lymantriidae) *salicis Linnaeus,1758; apparens Retzius,1783; salicinus Haworth,1803; xanthocampa Dyar,1905; coreacola Matsumura,1933; sjoquisti Bryk,1942; variabilis Bryk,1949* 05 06 07 08 10 12 13 14 16 19 22 24 25 30 36 42
46 53 58 60 62 63 65 66
- 163) *Abrostola triplasia (Linnaeus,1758)* (Noctuidae) *triplasia Linnaeus,1758; trigemina Werneburg,1864.* 04 05 08 13 16 18 25 31 36
37 38 39 53 75
- 164) *Acantholipes regularis (Hübner,[1813])* (Noctuidae) *regularis Hübner,[1813]* 01 05 06 13 14 23 30 33 35 36 46 50 62 65
- 165) *Acronicta (Triaena) aceris (Linnaeus,1758)* (Noctuidae) *aceris Linnaeus,1758* 01 05 06 07 13 16 17 24 25 30 33 35 36 37 39 42 46
47 50 58 62 73
- 166) *Acronicta (Triaena) pasiphae Draudt,1936* (Noctuidae) *pasiphae Draudt,1936* 13 30 31 46 65
- 167) *Aedrophon phlebophora Lederer,1858* (Noctuidae) *phlebophora Lederer,1858* 05 06 12 13 18 25 30 33 36 42 45 46 47 49 50 51 58
65 66 70 71
- 168) *Aegle gratiosa (Staudinger,1892)* (Noctuidae) *gratiosa Staudinger,1892; iranica Bytinski-Salz & Brandt,1937.* 13 47
- 169) *Aegle semicana (Esper,[1798])* (Noctuidae) *semicana Esper,[1798]; vespertalis Hübner,[1813]; mimetes Brandt,1938.* 01 03 06 13
17 19 22 23 32 33 36 40 42 46 50 51 58 66
- 170) *Agrochola (Alpichola) janhillmanni Hacker & Moberg,1989* (Noctuidae) *janhillmanni Hacker & Moberg,1989* 04 08 12 13 25 30
36 49 62
- 171) *Agrochola (Anchoscelis) kindermannii (Fischer v. Röslerstamm,[1841])* (Noctuidae) *kindermannii Fischer v. Röslerstamm,[1841]; ballotae Duponchel,[1842]; cindermannii Hampson,1906; rufa Osthelder,1933; wolfschlaegeri Boursin,1953.* 05 06 09 13 33 34 46
64 70
- 172) *Agrochola (Anchoscelis) lota (Clerck,1759)* (Noctuidae) *#lota Clerck,1759* 13 24 25 58 60 64
- 173) *Agrochola (Frivaldskyola) mansueta (Herrich-Schäffer,[1850])* (Noctuidae) *mansueta Herrich-Schäffer,[1850]; pontica Staudinger,1901.* 13 23 27 33 35 46 56 63 64 70
- 174) *Agrochola (s.str.) pistacina (Goeze,1781)* (Noctuidae) *#lychnidis [Denis & Schiffermüller],1775; pistacina Goeze,1781.* 02 05 13 31
46 56 60 62 63
- 175) *Agrotis (s.str.) segetum ([Denis & Schiffermüller],1775)* (Noctuidae) *segetum [Denis & Schiffermüller],1775; sordida [Denis & Schiffermüller],1775; undulatus Goeze,1781 (praecox.); nigricornis Villers,1789; segetis Fabricius,1794; catenatus Haworth,1803; monileus Haworth,1803; pectinatus Haworth,1803; connexus Haworth,1803; subatratus Haworth,1803; nigricornutus Haworth,1803; praecox Hübner,[1808]; fervida Hübner,[1824]; affinis Stephens,1829; sicula Boisduval,1840; dimidia Zeller,1847; sicania Guenée,1852; marginalis Walker,1857; aversus Walker,1857; correctus Walker,1857; obliuosus Walker,1857; denticulosus Wallengren,1860; certificatus Walker,1865; conspurcatus Walker,1865; repulsus Walker,1865; ingratus Butler,1878; pallidus Staudinger,1881; lassa Swinhoe,1886.* 01 05 06 07 11 13 15 16 18 24 25 27 30 31 32 33 35 36 38 42 46 50 51 58 60 63 65 71
- 176) *Allophyes asiatica (Staudinger,1892)* (Noctuidae) *asiatica Staudinger,1892* 02 05 06 13 14 24 25 42 56 58 64 66
- 177) *Ammonoconia senex (Geyer,[1828])* (Noctuidae) *senex Geyer,[1828].* 06 13 17 18 24 25 30 36 38 46 50 56 58 64 70
- 178) *Amphipyra berbera Rungs,1949* (Noctuidae) *#variegata W.Warren,1911; berbera Rungs,1949* 06 08 13 14 16 39 53
- 179) *Amphipyra livida ([Denis & Schiffermüller],1775)* (Noctuidae) *livida [Denis & Schiffermüller],1775* 05 08 12 13 30 33 56
- 180) *Apamea epomidion (Haworth,1809)* (Noctuidae) *charactera auct. nec [Denis & Schiff.],1775; epomidion Haworth,1809* 04 13 65
- 181) *Apamea polyglypha (Staudinger,1892)* (Noctuidae) *polyglypha Staudinger,1892* 08 13 24 27 30 46 53 56 63 65
- 182) *Apamea syriaca (Osthelder,1933)* (Noctuidae) *syriaca Osthelder,1933; #albida Osthelder,1933; tallosi Kovacs & Varga,1969.* 01
04 05 06 08 11 12 13 16 17 18 24 25 28 30 31 32 33 34 35 36 37 42 45 46 49 50 51 58 60 62 65 73 80
- 183) *Argyrospila succinea (Esper,[1798])* (Noctuidae) *succinea Esper,[1798]* 04 13 25 42
- 184) *Autophila (Cheirophanes) ligaminosa (Eversmann,1851)* (Noctuidae) *ligaminosa Eversmann,1851; caucasica Herz,1904.* 05 06 08
13 14 17 18 25 33 36 42 46 50 65 73
- 185) *Autophila (s.str.) banghaasi Boursin,1940* (Noctuidae) *banghaasi Boursin,1940* 01 04 05 06 08 09 12 13 15 18 23 24 25 29 30 38
42 50 58 62 60 65 66 75
- 186) *Autophila (s.str.) limbata (Staudinger,1871)* (Noctuidae) *limbata Staudinger,1871* 05 07 08 09 13 18 25 50 58 73
- 187) *Behounekia freyeri (Frivaldsky,1835)* (Noctuidae) *freyeri Frivaldsky,1835; senescens Eversmann,1856.* 01 05 06 13 18 25 30 32 35
36 38 42 46 47 50 51 62 65
- 188) *Bryophilopsis roederi (Standfuss,1892)* (Noctuidae) *roederi Standfuss,1892* 07 13 30 31 33 42 47 58 62 65 73
- 189) *Caradrina (Boursinidrina) rjabovi (Boursin,1936)* (Noctuidae) *rjabovi Boursin,1936; pseudovicina Boursin,1939* 04 13 25 36 44
46 58 62 65
- 190) *Caradrina (Boursinidrina) wiltshirei (Boursin,1936)* (Noctuidae) *wiltshirei Boursin,1936* 13 30
- 191) *Caradrina (Eremodrina) draudti (Boursin,1936)* (Noctuidae) *draudti Boursin,1936; pseudopertinax Boursin,1939; pseudopertinax Boursin,1940* 04 06 08 13 23 30 38 42 44 51 63 65

- 192) *Caradrina (Eremodrina) gilva* (Donzel,1837) (Noctuidae) *gilva* Donzel,1837; *molisana* Dannehl,1929 04 05 06 08 12 13 24 25 29 30 38 42 46 51 58
- 193) *Caradrina (Eremodrina) salzi* (Boursin,1936) (Noctuidae) *salzi* Boursin,1936 04 13 21 23 24 30 36 44 51 62 70
- 194) *Caradrina (Eremodrina) zernyi* (Boursin,1936) (Noctuidae) *zernyi* Boursin,1936; *signata* Boursin,1936 01 03 05 13 30 31 42 44 46 58
- 195) *Caradrina (Paradrina) boursini* (Wagner,1936) (Noctuidae) *boursini* Wagner,1936 13 30 65 73
- 196) *Caradrina (Paradrina) clavipalpis* (Scopoli,1763) (Noctuidae) *clavipalpis* Scopoli,1763; *grisea* Hufnagel,1766; *quadripunctata* Fabricius,1775; *cubicularis* [Denis & Schiffermüller],1775; *leucoptera* Thunberg,1791; *milleri* Schultz,1862; *avicula* Krulikovsky,1909; *teidovolans* Pinker,1974; *pinker* Kobes,1975 01 05 06 10 13 16 20 24 25 29 30 32 33 35 42 44 46 50 51 56 58 60 62 63 64
- 197) *Caradrina (Platyperigea) terrea* (Freyer,[1840]) (Noctuidae) *terrea* Freyer,[1840]; *ustirena* Boisduval,1840 03 04 06 08 12 13 18 23 25 30 36 42 50 51 65 66
- 198) *Catocala (s.str.) abacta* Staudinger,1900 (Noctuidae) *abacta* Staudinger,1900; *irana* Brandt,1938; *#iranica* Hacker,1986. 01 02 07 12 13 23 30 42 44 46 47 48 62 65 73
- 199) *Catocala (s.str.) nupta* (Linnaeus,1767) (Noctuidae) *nupta* Linnaeus,1767 13 16 33 38 39 46 51 59 65
- 200) *Chersotis juvenis* (Staudinger,1901) (Noctuidae) *caelebs* Staudinger,1900 *nec* Stgr.,1896; *juvenis* Staudinger,1901; *clarivenosa* Draudt,1936. 02 04 06 13 24 25 30 36 38 42 46 50 51 58 60 65 66 69
- 201) *Chersotis stenographa* Varga,1979 (Noctuidae) *stenographa* Varga,1979 13 25 58 65
- 202) *Clytie (s.str.) syriaca* (Bugnion,1837) (Noctuidae) *syriaca* Bugnion,1837; *gentilitia* Freyer,1848. 01 05 06 07 08 13 16 18 21 23 24 25 30 31 33 35 42 44 62 65
- 203) *Conistra (s.str.) kasyi* Boursin,1963 (Noctuidae) *kasyi* Boursin,1963 13
- 204) *Conistra (s.str.) ragusae* (Failla-Tedaldi,1890) (Noctuidae) *ragusae* Failla-Tedaldi,1890 06 13 24 36
- 205) *Conistra (s.str.) vaccinii* (Linnaeus,1761) (Noctuidae) *vaccinii* Linnaeus,1761; *polita* [Denis & Schiffermüller],1775; *spadicea* [Denis & Schiffermüller],1775 08 09 12 13 14 15 24 30
- 206) *Conistra (s.str.) veronicae* (Hübner,[1813]) (Noctuidae) *veronicae* Hübner,[1813] 05 06 07 11 13 15 23 24 46 58
- 207) *Craniophora pontica* (Staudinger,1879) (Noctuidae) *pontica* Staudinger,1879 05 06 08 13 18 24 30 46 62
- 208) *Cryphia (Bryoleuca) petrea* (Guenée,1852) (Noctuidae) *petrea* Guenée,1852 01 04 07 13 30 33 42 46 66
- 209) *Cryphia (Bryoleuca) rectilinea* (W.Warren,1909) (Noctuidae) *rectilinea* W.Warren,1909; *mediochracea* Bytinski-Salz,1936; *insulicola* Reisser,1962. 01 05 08 13 23 24 36 42 46 69
- 210) *Cryphia (Bryophila) eucharista* Boursin,1960 (Noctuidae) *iranica* Brandt,1941 *nec* Schwing.,1937; *eucharista* Boursin,1960. 13 46 65
- 211) *Cryphia (Bryophila) occidentalis* (Osthelder,1933) (Noctuidae) *occidentalis* Osthelder,1933. 13 30 46 58 65
- 212) *Cucullia (s.str.) dracunculi* (Hübner,[1813]) (Noctuidae) *dracunculi* Hübner,[1813]; *incana* Eversmann,1842; *anthemidis* Guenée,1852; *linosyridis* Fuchs,1903. 13 60 65
- 213) *Diachrysia chrysis* (Linnaeus,1758) (Noctuidae) *chrysis* Linnaeus,1758 13 14 16 18 25 28 30 42 46 50 52 55 57 59 61 65 66 75
- 214) *Dichagyris (Yigoga) celsicola* (Bellier,1858) (Noctuidae) *celsicola* Bellier,1858 04 08 12 13 23 25 30 36 46 50 58 65
- 215) *Dichagyris (Yigoga) romanovi* (Christoph,1885) (Noctuidae) *romanovi* Christoph,1885; *#jura* Strand,1915; *karsholti* Fibiger,1990. 04 13 23 25 30 32 38 42 50 51 58 63 66 76
- 216) *Dichagyris (Yigoga) sincera* (De Freina & Hacker,1985) (Noctuidae) *sincera* De Freina & Hacker,1985. 04 08 12 13 23 25 30 36 46 50 58 65 73
- 217) *Dichagyris (Yigoga) wiltshirei* (Boursin,1936) (Noctuidae) *wiltshirei* Boursin,1936; *#wiltshirei* Ebert & Hacker,2002 13 30 65
- 218) *Dichagyris (s.str.) cataleipa* Varga,1993 (Noctuidae) *cataleipa* Varga,1993 13 44 46 58
- 219) *Dichagyris (s.str.) contermina* (Corti,1929) (Noctuidae) *contermina* Corti,1929; *wolff* Hacker,1985. 13 23 47 56 58 62 63
- 220) *Dichagyris (s.str.) fredii* (Brandt,1938) (Noctuidae) *fredii* Brandt,1938 13 30 65
- 221) *Dichagyris (s.str.) terminicincta* (Corti & Draudt,1933) (Noctuidae) *terminicincta* Corti & Draudt,1933; *maraschi* Corti & Draudt,1933. 02 04 12 13 25 30 36 44 46 51 58 65 69
- 222) *Dichonia aeruginea* (Hübner,[1803]) (Noctuidae) *aeruginea* Hübner,[1803]; *mioleuca* Geyer,[1828]; *chioleuca* Treitschke,1835; *mesembrina* Schawerda,1913. 05 06 08 13 31 38 46 56 64
- 223) *Dichonia convergens* ([Denis & Schiffermüller],1775) (Noctuidae) *#convergens* [Denis & Schiffermüller],1775; *spicula* Esper,[1791] 06 08 13 24 69
- 224) *Dryobotodes (s.str.) carbonis* (Wagner,1931) (Noctuidae) *carbonis* Wagner,1931; *taurica* Osthelder,1933; *europaea* Pinker,1976. 06 13 33 42 46 56 64
- 225) *Dryobotodes (s.str.) eremita* (Fabricius,1775) (Noctuidae) *eremita* Fabricius,1775; *protea* [Denis & Schiffermüller],1775; *seladonia* Fabricius,1794; *corsica* Spuler,1905; *#dejecta* Warren,1911; *#grisea* Warren,1911 05 06 13 18 24 38 56 60 64
- 226) *Egira anatolica* (Hering,1933) (Noctuidae) *anatolica* Hering,1933; *#metaxys* Boursin,1966; *#leucomelas* Boursin,1966 04 06 13 31 24 50 67
- 227) *Eublemma (candidana-gr.) aureola* Fibiger & Hacker,2002 (Noctuidae) *aureola* Fibiger & Hacker,2002 04 08 13 24 25 29 44 47 50 58 65 73
- 228) *Eublemma (candidana-gr.) wagneri* (Herrich-Schäffer,1851) (Noctuidae) *wagneri* Herrich-Schäffer,1851 01 04 08 13 23 24 25 29 30 36 40 42 44 46 50 58 60 66 69 75
- 229) *Eublemma (pallidula-gr.) pallidula* (Herrich-Schäffer,1856) (Noctuidae) *pallidula* Herrich-Schäffer,1856 01 05 12 13 23 24 25 30 42 44 47 50 51 58 62 65 66
- 230) *Eublemma pannonica* (Freyer,1840) (Noctuidae) *panonica* Freyer,1840; *kindermannii* Boisduval,1840. 05 07 08 13 23 25 36 42 46 58
- 231) *Euchalcia (Pseudochalcia) kitchingi* Hacker & Ronkay,1992 (Noctuidae) *kitchingi* Hacker & Ronkay,1992 04 13 30 31 65 73
- 232) *Euchalcia (s.str.) augusta* (Staudinger,1892) (Noctuidae) *augusta* Staudinger,1892 13 23 27 44 49 63
- 233) *Euchalcia (s.str.) chalcophanes* Dufay,1963 (Noctuidae) *chalcophanes* Dufay,1963 13 30
- 234) *Euchalcia (s.str.) dorsiflava* (Standfuss,1892) (Noctuidae) *dorsiflava* Standfuss,1892 13 21 30 31 38 47 49 56 58 65 73
- 235) *Euchalcia (s.str.) viridis* (Staudinger,1901) (Noctuidae) *viridis* Staudinger,1901 01 04 06 12 13 24 25 30 36 42 49 58 65 69 70 75
- 236) *Eugnorisma (s.str.) kurdistan* Hacker, Kuhna & Gross,1986 (Noctuidae) *kurdistan* Hacker, Kuhna & Gross,1986 12 13 30
- 237) *Euxoa (s.str.) adjemi* Brandt,1941 (Noctuidae) *adjemi* Brandt,1941. 13 30 73
- 238) *Evisa schawerdae* Reisser,1930 (Noctuidae) *schawerdae* Reisser,1930 07 13
- 239) *Gortyna osmana* Hacker & Kuhna,1986 (Noctuidae) *osmana* Hacker & Kuhna,1986 04 13 25 36 62 65 75
- 240) *Gripesia pinkeri* (Kobes,1973) (Noctuidae) *pinker* Kobes,1973 06 08 13 42 56
- 241) *Hadena (Pinkericola) cappadocia* Hacker,1987 (Noctuidae) *cappadocia* Hacker,1987 06 12 13 25 30 40 50 51 58 62 65 66
- 242) *Hadena (Pinkericola) tephroleuca* (Boisduval,1833) (Noctuidae) *tephroleuca* Boisduval,1833 04 06 13 18 20 24 25 28 30 32 33 36 38 42 46 48 49 50 51 58 60 65 66
- 243) *Hadena (s.str.(Clarhadena)) pseudoclara* Hacker,1996 (Noctuidae) *pseudoclara* Hacker,1996 04 13 24 25 44 46 51 58 60 65
- 244) *Hadena (s.str.(Clarhadena)) subhyrcana* Hacker,1996 (Noctuidae) *subhyrcana* Hacker,1996 13 30 24 25 49 58 65 73

- 245) **Hadena (s.str.(Miselia)) compta** ([Denis & Schiffermüller],1775) (Noctuidae) *compta* [Denis & Schiffermüller],1775; *viscaria* Guenée,1852; *galactina* Turati,1908. 03 04 05 06 08 13 16 18 24 25 29 30 32 36 42 46 49 50 51 58 60 62 63 65 66
- 246) **Hadena (s.str.(Montanohadena)) fibigeri** Hacker,1996 (Noctuidae) *fibigeri* Hacker,1996 04 08 13 24 25 30 38 50 51 58 65 69
- 247) **Hadena (s.str.(Zeteolyga)) confusa** (Hufnagel,1766) (Noctuidae) *confusa* Hufnagel,1766; *conspersa* [Denis & Schiffermüller],1775; *nana* Rottenburg,1776 nec Hufnagel,1766; *annulata* Fabricius,1781; *x-scriptum* Sowerby,1806; *fasciata* Tutt,1902; *suffusa* Tutt,1902; *intermedia* Tutt,1902. 04 06 07 08 09 13 18 25 28 30 33 36 37 46 49 50 60 65 75
- 248) **Hadjina lutosa** Staudinger,1892 (Noctuidae) *lutosa* Staudinger,1892 01 13 30 47 56 58 63
- 249) **Hadula (Calocestra (Hadumendax)) mendax** (Staudinger,1879) (Noctuidae) *mendax* Staudinger,1879 01 05 06 07 13 16 18 20 24 25 27 29 30 33 36 37 38 42 46 49 50 51 58 60 65 66 70
- 250) **Hadula (Calocestra (Hadumendax)) mendica** (Staudinger,[1895]) (Noctuidae) *mendica* Staudinger,[1895]. 01 02 07 13 23 24 30 32 33 36 42 46 47 49 51 58 60 63 65
- 251) **Herminia nigricaria** Osthelder,1933 (Noctuidae) *nigricaria* Osthelder,1933 01 08 13 30 36 46 56 73
- 252) **Herminia proxima** Christoph,1893 (Noctuidae) *proxima* Christoph,1893 13 30 46
- 253) **Hoplodrina pfeifferi** (Boursin,1932) (Noctuidae) *pfeifferi* Boursin,1932. 08 13 18 23 25 30 32 36 42 50 51 58 62 65
- 254) **Lampra fimbriata** (Schreber,1759) (Noctuidae) *fimbriata* Schreber,1759; *domiduca* Hufnagel,1766; *fimbria* Linnaeus,1767; *solani* Fabricius,1787. 03 05 06 07 08 12 13 14 16 18 25 29 30 39 42 43 46 49 51 60 62 65 80
- 255) **Lamprosticta culta** ([Denis & Schiffermüller],1775) (Noctuidae) *#culta* [Denis & Schiffermüller],1775 06 07 13 14 18 24 25 32 37 42 50 58 62 65 66
- 256) **Leucania herrichi** Herrich-Schäffer,[1849] (Noctuidae) *herrichi* Herrich-Schäffer,[1849] 01 05 13 30 33 34 42 44 57
- 257) **Luperina diversa** (Staudinger,1892) (Noctuidae) *diversa* Staudinger,1892; *indistincta* Rebel,1933 01 04 05 06 12 13 18 21 55 56 58 60 62 65 66 73
- 258) **Lygephila craccae** (Fabricius,1787) (Noctuidae) *#craccae* [Denis & Schiffermüller],1775; *riata* Rungs,1952; *craccae* Fabricius,1787; *#craccae* Hacker & Kautt,1999. 01 05 06 07 08 12 13 14 16 17 18 22 24 25 29 30 33 36 42 48 50 58 60 62 63 65 75
- 259) **Lygephila ludicra** (Hübner,1790) (Noctuidae) *ludicra* Hübner,1790 04 05 12 13 25 65 69
- 260) **Lygephila schachtii** Behounek & Hacker,1986 (Noctuidae) *schachtii* Behounek & Hacker,1986 01 12 13 23 30 47 62 73
- 261) **Megalodes eximia** (Freyer,1845) (Noctuidae) *eximia* Freyer,1845 01 05 07 10 13 24 25 27 30 33 36 42 46 47 49 50 62 63 65 66
- 262) **Melanchra pisi** (Linnaeus,1758) (Noctuidae) *pisi* Linnaeus,1758; *rukavaarae* Hoffmann,1893; *pardoi* Agenjo,1945. 04 13 65
- 263) **Metachrostis dardouini** (Boisduval,1840) (Noctuidae) *dardouini* Boisduval,1840 06 10 13 16 23 30 32 33 50 56 58
- 264) **Minucia bimaculata** (Osthelder,1933) (Noctuidae) *bimaculata* Osthelder,1933 07 13 30 31 33 42 46 56 63 73
- 265) **Oncocnemis exacta** Christoph,1887 (Noctuidae) *exacta* Christoph,1887; *iranica* Schwingenschuss,1937 13 30 65 73
- 266) **Opigena polygona** (Fabricius,1787) (Noctuidae) *#polygona* [Denis & Schiffermüller],1775; *polygona* Fabricius,1787; *nigrofulva* Esper,[1788]; *pyramis* Borkhausen,1792. 03 04 12 13 17 18 24 25 30 36 39 42 60 69
- 267) **Orthosia (Monima) pulverulenta** (Esper,[1786]) (Noctuidae) *#cruda* [Denis & Schiffermüller],1775; *pulverulenta* Esper,[1786]; *corticina* Villers,1789; *nanus* Haworth,[1803]. 01 05 06 07 09 13 17 20 23 30 35 46 58 59 63
- 268) **Orthosia (Semiphora) gothica** (Linnaeus,1758) (Noctuidae) *gothica* Linnaeus,1758; *numatrum* [Denis & Schiffermüller],1775; *gothicina* Herrich-Schäffer,[1849]. 06 07 09 13 22 34 43
- 269) **Orthosia rubricosa** (Esper,[1786]) (Noctuidae) *#miniosa* [Denis & Schiffermüller],1775; *rubricosa* Esper, [1786]. 05 06 07 09 11 13 17 30 33 43 46 56 58 62 63
- 270) **Parascotia detersa** (Staudinger,1892) (Noctuidae) *detersa* Staudinger,1892 01 07 13 17 31 33
- 271) **Plecoptera inquinata** (Lederer,1857) (Noctuidae) *inquinata* Lederer,1857; *pyrami* Rogenhofer,1873; *amanica* Osthelder,1933 01 07 08 13 30 33 42 46
- 272) **Plusia festucae** (Linnaeus,1758) (Noctuidae) *festucae* Linnaeus,1758 05 06 13 33 42 49 65
- 273) **Plusidia cheiranthi** (Tauscher,1809) (Noctuidae) *cheiranthi* Tauscher,1809; *eygenia* Eversmann,1841; *abrostoloides* Butler,1879; *separanda* Warren,1913. 12 13 25 30 65 69
- 274) **Polymixis (Myxinia) philippsi** (Püngeler,1911) (Noctuidae) *philippsi* Püngeler,1911 04 13 36
- 275) **Polymixis (Myxinia) rufocincta** (Geyer,1828) (Noctuidae) *rufocincta* Geyer,[1828]; *farinosa* Freyer,1848; *mucida* Guenée,1852. 01 05 06 08 13 31 44 46 56 58 62
- 276) **Pseudenargia deleta** (Osthelder,1933) (Noctuidae) *deleta* Osthelder,1933; *#badiofasciata* Draudt,1936; *basilissa* Brandt,1938. 01 04 13 23 30 36 44 46 58 62 63 65 73
- 277) **Pseudenargia regina** (Staudinger,1892) (Noctuidae) *regina* Staudinger,1892 01 03 05 06 08 13 18 31 33 36 42 46 50 51 58 62 65
- 278) **Pyrrhia treitschkii** (Frivaldszky,1835) (Noctuidae) *treitschkii* Frivaldszky,1835. 04 05 06 07 08 13 25 30 33 36 44 46 63 65
- 279) **Pyrrhia umbra** (Hufnagel,1766) (Noctuidae) *umbra* Hufnagel,1766; *marginata* Fabricius,1775; *rutilago* [Denis & Schiffermüller],1775; *conspicua* Borkhausen,1792; *umbrago* Esper,[1796]; *marginago* Haworth,1809; *aconiti* Hölztermann,1902. 05 06 13 14 24 25 30 33 36 52 61 69
- 280) **Recophora beata** (Staudinger,1892) (Noctuidae) *beata* Staudinger,1892 01 06 13 23 24 30 42 63 65 73
- 281) **Scoliopteryx libatrix** (Linnaeus,1758) (Noctuidae) *libatrix* Linnaeus,1758; *salictaria* Poda,1761; *modesta* Müller,1764; *delicatula* Retzius,1783; *libatrix* Haworth,1809 05 08 13 16 30 34 38 61 65
- 282) **Scotochrosta pulla** ([Denis & Schiffermüller],1775) (Noctuidae) *#pulla* [Denis & Schiffermüller],1775 06 13 24 42 56
- 283) **Sideridis (Aneda) rivularis** (Fabricius,1775) (Noctuidae) *rivularis* Fabricius,1775; *cucubali* [Denis & Schiffermüller],1775; *rivosa* Ström,1783; *behenis* Freyer,1845. 04 08 09 13 14 18 23 24 28 36 49 50 65 75
- 284) **Sideridis (Conisania) capsivora** (Draudt,1933) (Noctuidae) *capsivora* Draudt,1933 13 30 36 65
- 285) **Thysanoplusia (s.str.) orichalcea** (Fabricius,1775) (Noctuidae) *orichalcea* Fabricius,1775; *chrystina* Martyn,1797; *aurifera* Hübner,[1813]. 07 13 33
- 286) **Ulochlaena hirta** (Hübner,[1813]) (Noctuidae) *hirta* Hübner,[1813] 05 06 07 13 32 30 36 38 46 49 58 62 65 70
- 287) **Valerietta boursini** De Freina & Hacker,1985 (Noctuidae) *boursini* De Freina & Hacker,1985 13 30 65
- 288) **Victrix (Rasihia) boursini** (Draudt,1936) (Noctuidae) *boursini* Draudt,1936 06 13 23 36 65 71
- 289) **Victrix (Rasihia) hackeri** Varga & Ronkay,1991 (Noctuidae) *hackeri* Varga & Ronkay,1991 06 13 23 50 58 62 65 71
- 290) **Victrix (Rasihia) tabora** (Staudinger,1892) (Noctuidae) *tabora* Staudinger,1892 13 27 30 44 47 65
- 291) **Zethes narghisa** Brandt,1938 (Noctuidae) *narghisa* Brandt,1938 13 30 62
- 292) **Drymonia velitaris** (Hufnagel,1766) (Notodontidae) *velitaris* Hufnagel,1766; *austera* [Denis & Schiffermüller],1775; *bifasciata* Villers,1789 12 13 16 25 29 30 36 37 46 53 55 60 61 65
- 293) **Furcula bifida** (Brahm,1787) (Notodontidae) *hermelina* Goetze,1781 nec Gz.,1781; *bifida* Brahm,1787; *latifascia* Curtis,1827; *arcuata* Stephens,1828; *mucronata* Meigen,1830; *urocera* Boisduval,1840; *lype* Seifers,1933. 06 10 13 14 16 22 25 29 36 43 53 60
- 294) **Harpyia milhauseri** (Fabricius,1775) (Notodontidae) *milhauseri* Fabricius,1775; *terrifica* [Denis & Schiffermüller],1775; *vidua* Knoch,1781; *albida* Daniel,1932 05 06 07 10 12 13 14 24 30 33 37 42 46 53 56 60 62 64 65 71 73
- 295) **Phalera bucephala** (Linnaeus,1758) (Notodontidae) *bucephala* Linnaeus,1758; *lunula* Retzius,1783 nec Hufn.,1766 non Ström,1768. 05 12 13 14 16 17 24 25 32 36 42 53 58 60 65

- 296) **Pterostoma palpinum (Linnaeus,1761)** (Notodontidae) *palpina* Linnaeus,1761; *caudapiscina* Goeze,1783; *salicis* Germar,1812. 06
12 13 16 19 24 25 30 32 36 37 42 46 50 60 65
- 297) **Spatalia argentina (Denis & Schiffermüller,1775)** (Notodontidae) *argentina* [Denis & Schiffermüller],1775 05 06 07 08 10 12 13
14 16 17 20 24 30 31 32 33 35 42 46 62 64 65 66 71 73
- 298) **Stauropus fagi (Linnaeus,1758)** (Notodontidae) *fagi* Linnaeus,1758 08 12 13 14 25 34 37 53 65
- 299) **Iphiclides podalirius (Linnaeus,1758)** (Papilionidae) *podalirius* Linnaeus,1758; *sinon* Poda,1761; *flammeus* Fourcroy,1785; *inalpinus* Verity,1911; *valesiaca* Verity,1911; *zanclaeides* Verity,1911; *pseudopersica* Rocci,1926. 01 02 03 04 05 06 07 08 09 10 11 12 13 14
15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 48 49 50 51 52 54 56 58 59 60 62 64
65 66 67 68 69 70 71 73 76 77 78 81
- 300) **Papilio (s.str.) machaon Linnaeus,1758** (Papilionidae) *machaon* Linnaeus,1758; *reginae* Retzius,1783; *umbellatarum* Fabricius,1807; *aurantiaca* Speyer,1858. 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38
40 42 43 44 45 46 47 48 50 51 56 58 59 60 62 63 65 66 68 69 70 71 73 74 76 77 80
- 301) **Parnassius (Driopa) mnemosyne (Linnaeus,1758)** (Papilionidae) *mnemosyne* Linnaeus,1758 01 03 05 06 07 08 12 13 14 16 18 24
25 26 27 29 30 31 32 33 35 36 37 39 42 46 48 49 51 52 53 58 60 62 65 66 67 69 73 74 76 80
- 302) **Parnassius (s.str.) apollo (Linnaeus,1758)** (Papilionidae) *apollo* Linnaeus,1758 01 03 04 05 06 07 13 14 16 18 24 25 27 29 30 32 33
35 36 37 38 42 44 46 51 57 58 60 62 65 67 69 74 76 78
- 303) **Zerynthia (Allanacra) deyrollei (Oberthür,1869)** (Papilionidae) *deyrollei* Oberthür,1869; *eisneri* Bernardi,1970; *lycaoniae* Eisner & Wagener,1974; *#flavomaculata* Verity,1905; *#ochracea* Verity,1905; *#obscurior* Verity,1905; *#subflava* Schultz,1908; *#deflexa* Schultz,1908; *#charis* Schultz,1908; *#separata* Sheljuzhko,1927. 01 02 03 05 06 07 12 13 14 15 18 19 21 23 24 25 26 27 28 29 30 31
32 33 37 38 42 43 44 46 47 49 50 51 58 60 62 63 64 65 66 68 70 71 73
- 304) **Anthocharis cardamines (Linnaeus,1758)** (Pieridae) *cardamines* Linnaeus,1758; *hesperides* Newman,1894; *britannica* Verity,1908; *meridionalis* Verity,1908 nec Lederer,1852; *montivaga* Turati & Verity,1911 01 03 04 05 06 07 08 09 10 13 14 15 16 17 18 20 21 23
24 25 27 28 29 30 31 32 33 34 35 36 37 41 42 43 44 45 46 47 48 51 52 53 55 56 58 60 61 62 65 66 70 71 73 74 75 76 78
- 305) **Anthocharis damone Boisduval,1836** (Pieridae) *damone* Boisduval,1836 01 04 05 07 08 10 13 21 23 24 25 27 29 30 31 32 33 34 35
36 42 43 44 46 48 51 65 69 70 73 76
- 306) **Anthocharis gruneri Herrich-Schäffer,[1851]** (Pieridae) *gruneri* Herrich-Schäffer,[1851]; *#diluta* Röber,1907; *eros* Röber,1907 01
02 03 04 05 06 07 12 13 21 24 25 27 29 30 31 32 33 35 36 38 42 43 44 45 46 47 50 51 58 60 62 65 66 70 71 73 76
- 307) **Aporia (s.str.) crataegi (Linnaeus,1758)** (Pieridae) *crataegi* Linnaeus,1758; *nigronervosus* Retzius,1783; *minor* Verity,1907; *basanius* Fruhstorfer,1910; *crataegiaugusta* Verity,1937. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27
29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 46 47 48 49 50 51 53 54 55 56 58 60 61 62 63 65 66 69 70 71 72 73 74 76 78 80 81
- 308) **Colias (Eriocolias) crocea (Fourcroy,1785)** (Pieridae) *crocea* Fourcroy,1785; *pyrenaica* Groum-Grshimailo,1893. 01 02 03 04 05
06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49
50 51 52 53 54 55 56 57 58 59 60 61 62 63 65 66 68 69 70 71 72 73 74 76 77 78 79 80 81
- 309) **Colias (Neocolias) aurorina Herrich-Schäffer,[1850]** (Pieridae) *aurorina* Herrich-Schäffer,[1850] 01 03 04 05 06 07 08 13 14 19
21 23 24 25 29 30 32 33 36 37 38 42 46 48 49 50 51 53 58 60 61 62 65 66 69 70 75 76 80
- 310) **Colias (Neocolias) chlorocoma Christoph,1888** (Pieridae) *chlorocoma* Christoph,1888 04 13 24 25 29 30 36 38 51 65 69 76
- 311) **Colias (s.str.) sareptensis Staudinger,1881** (Pieridae) *#sareptensis* Staudinger,1871; *sareptensis* Staudinger,1881. 01 03 04 05 06 07
08 09 11 13 14 15 16 18 19 20 24 25 26 29 32 33 34 35 36 37 38 41 42 43 44 46 48 49 50 51 52 53 58 60 61 62 65 66 67 69 70 71 73 74
76 78 80
- 312) **Euchloe (s.str.) ausonia (Hübner,[1804])** (Pieridae) *ausonia* Hübner,[1804]; *marchandae* Geyer,[1832]. 01 02 03 04 05 06 07 09 10
13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 50 51 54 58 60 62 63 65 66 68
70 71 74 76 77 78 80
- 313) **Gonepteryx (s.str.) farinosa (Zeller,1847)** (Pieridae) *farinosa* Zeller,1847 01 02 03 05 06 07 08 10 11 13 14 16 17 19 20 21 24 25 26
27 29 30 31 32 33 34 35 36 38 41 42 43 44 46 47 48 50 51 56 58 60 62 65 66 67 68 69 70 71 73 76 80
- 314) **Gonepteryx (s.str.) rhamni (Linnaeus,1758)** (Pieridae) *rhamni* Linnaeus,1758; *gravesi* Huggins,1956. 01 03 04 05 06 07 08 10 11
13 14 15 16 17 18 19 24 25 26 30 31 32 33 34 35 36 38 39 42 43 44 46 47 48 49 50 51 52 55 60 62 65 66 67 69 71 73 75 76 81
- 315) **Leptidea duponcheli (Staudinger,1871)** (Pieridae) *duponcheli* Staudinger,1871; *#dupncheli* Nazari,2003 01 03 04 05 06 07 08 10 11
13 14 15 16 17 18 19 20 21 22 23 24 25 26 29 30 31 32 33 34 35 36 37 38 40 41 42 43 44 45 46 48 49 50 51 53 58 59 60 62 64 65 66 67
69 70 71 73 74 76 78
- 316) **Leptidea morsei (Fenton,1881)** (Pieridae) *morsei* Fenton,1882 13
- 317) **Leptidea sinapis (Linnaeus,1758)** (Pieridae) *sinapis* Linnaeus,1758; *candidus* Retzius,1783; *erysimi* Borkhausen,1788; *lathyri* Hübner,[1819]; *loti* Rennie,1832; *umbratica* Trimoulet,1858; *sartha* Rühl,1893; *stabiarius* Stauder,1914; *nigrescens* Verity,1919; *patunae* Stauder,1922; *lathyricana* Verity,1952. 01 03 04 05 06 07 08 09 10 11 13 14 15 16 17 18 19 20 24 25 26 27 28 29 30 31 32
33 34 35 36 37 38 39 41 42 45 46 48 49 50 52 53 54 55 58 60 61 62 65 66 67 69 70 74 76 77 78 79 75 76 81
- 318) **Pieris (Artogeia) ergane (Geyer,[1828])** (Pieridae) *ergane* Geyer,[1828]; *narcae* Freyer,[1828]. 01 02 03 04 05 06 07 08 12 13 14
15 16 18 21 23 24 25 26 28 29 30 31 32 33 36 38 42 43 44 46 47 49 50 51 52 56 58 60 62 63 65 66 69 71 73 74 76
- 319) **Pieris (Artogeia) pseudorapae Verity,1908** (Pieridae) *pseudorapae* Verity,1908 01 03 04 05 06 07 08 10 11 12 13 14 16 17 18 20 21
22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 45 46 47 48 49 50 51 52 53 54 56 58 59 60 61 62 63 65 66 67 68 71
73 74 75 76 77 78 80 81
- 320) **Pieris (Artogeia) rapae (Linnaeus,1758)** (Pieridae) *rapae* Linnaeus,1758; *nelo* Bergsträßer,1780; *metra* Stephens,1827; *alpica* Rossi,1929. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39
40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 64 65 66 68 69 70 71 73 74 76 77 78 79 80
- 321) **Pieris (s.str.) brassicae (Linnaeus,1758)** (Pieridae) *brassicae* Linnaeus,1758; *chariclea* Stephens,1827; *#venata* Verity,1908; *cyniphia* Turati,1924. 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44
45 46 48 49 50 51 52 53 54 55 58 60 61 63 65 66 70 71 73 74 75 76 77 80 81
- 322) **Pontia callidice (Hübner,[1800])** (Pieridae) *callidice* Hübner,[1800]; *callidice* Esper,[1803]. 01 03 04 05 06 07 08 13 16 24 25 29
30 32 38 42 44 46 48 51 53 58 60 62 65 69 73 76
- 323) **Pontia chloridice (Hübner,[1813])** (Pieridae) *russiae* Esper,[1784] nec *russiae* Esper,[1783]; *chloridice* Hübner,[1813]; *#aestuosa* Staudinger,1901; *albidice* Staudinger,1901 nec Oberthür,1881. 03 05 06 07 08 10 12 13 16 18 21 23 24 25 29 30 33 34 35 36 42 44
45 46 48 50 56 60 62 63 65 69 71 73 76
- 324) **Pontia edusa (Fabricius,1777)** (Pieridae) *edusa* Fabricius,1777; *bellidice* Ochsenheimer,1808; *persica* Bienert,1869; *#nitida* Verity,[1908]. 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 38 39
40 41 42 43 44 46 47 48 49 50 51 52 53 54 55 56 58 59 60 61 62 63 65 66 67 68 69 70 71 73 74 76 77 79 80 81
- 325) **Merrifieldia deprinsi Arenberger,1990** (Pterophoridae) *deprinsi* Arenberger,1990 13
- 326) **Stenoptilia elkefi Arenberger,1984** (Pterophoridae) *elkefi* Arenberger,1984 13
- 327) **Ancylosis (Heterographis) faustinella (Zeller,1867)** (Pylalidae) *faustinella* Zeller,1867; *staudingeri* Christoph,1877; *rubripictella* Hampson,1896; *thalerella* Mabilbe,1908; *variabilis* Rothschild,1915; *airensis* Rothschild,1921; *bilineella* Amsel,1935; *damascenella* Amsel,1952. 01 03 06 13 16 35 42 46 65

- 328) *Ancylosis (Heterographis) roscidella (Eversmann,1844)* (Pyrilidae) *roscidella* Eversmann,1844; *cinerella* Stainton,1859; *ephedrella* Herrich-Schäffer,1860; *neglectella* Heinemann,1864; *blandella* Ragonot,1887; *zobrella* Oberthür,1888; *carnea* Warren,1888; *bartelevella* Caradja,1910; *benderella* Amsel,1961. 01 03 06 09 13 16 21 42 46 65 76
- 329) *Ancylosis (Heterographis) xylina (Staudinger,1870)* (Pyrilidae) *xylina* Staudinger,1870; *sablonella* Rothschild,1915; *molochinella* Zerny,1929. 03 06 13 16 42 46 65
- 330) *Ancylosis (s.str.) cinnamomella (Duponchel,1836)* (Pyrilidae) *dilutella* Tr.,1832 [n.o.]; *cinnamomella* Dup.,1836; *labeomella* Staudinger,1859; *lafauyrella* Rag.,1887; *byzacaeniella* Rag.,1887; *roseopenmella* Rag.,1901; *tunesella* Caradja,1910; *fuliginosa* Rothschild,1913; *pictella* Tur.,1922; *ferrugineolineella* Tur.,1924. 01 03 05 06 09 13 14 16 21 26 31 34 42 46 47 65 71 76
- 331) *Ancylosis (s.str.) maculifera Staudinger,1870* (Pyrilidae) *maculifera* Staudinger,1870; *ifraneella* Lucas,1954. 01 03 05 06 13 16 21 35 42 46 58 65 71 76
- 332) *Bradyrrhoa gilveolella (Treitschke,1833)* (Pyrilidae) *gilveolella* Treitschke,1833 01 05 06 13 16 22 23 29 51 38 42 44 46 51 58 65 71 77
- 333) *Chilo pulverosellus Ragonot,1895* (Pyrilidae) *pulverosellus* Ragonot,1895; *brevipalpellus* Zerny,1914; *fernandezi* Joannis,1932; *lemarchandellus* Lucas,1945. 13 31 42 46 65
- 334) *Ephelis cruentalis (Geyer,[1832])* (Pyrilidae) *cruentalis* Geyer,[1832] 01 05 06 13 16 25 31 33 34 35 38 44 46 58 63 65 76
- 335) *Ephestia (s.str.) parasitella Staudinger,1859* (Pyrilidae) *parasitella* Staudinger,1859; *bimaculella* Lucas,1955. 03 05 06 13 33 34 42 44 46
- 336) *Homoeosoma (s.str.) sinuellum (Fabricius,1794)* (Pyrilidae) *sinuella* Fabricius,1794; *sinuatus* Fabricius,1794; *elongella* Hübner,[1813]; *gemina* Haworth,1811; *flavella* Duponchel,1836; *gioferella* Turati,1934. 01 05 06 07 13 16 21 39 44 46 58 65 70 71 76
- 337) *Isauria dilucidella (Duponchel,1836)* (Pyrilidae) *dilucidella* Duponchel,1836; *ilignella* Zeller,1839; *laternella* Eversmann,1844; *crepusculella* Lederer,1870; *incredibilis* Staudinger,1879; *subsortitella* Ragonot,1887; *satanella* Ragonot,1887; *odontella* Ragonot,1893; *lederi* Ragonot,1893; *cuencella* Caradja,1916; *gabaltella* Chrétien,1931; *griseus* Lucas,1950; *parvella* Amsel,1951; *shahidanella* Amsel,1970 05 06 13 16 25 32 38 42 46 47 50 53 58 65 71
- 338) *Megasis rippertella (Zeller,1839)* (Pyrilidae) *rippertella* Zeller,1839 05 06 13 32 38 42 71
- 339) *Phycitodes binaevella (Hübner,[1813])* (Pyrilidae) *binaevella* Hübner,[1813]. 01 05 06 13 31 34 42 46 65
- 340) *Phycitodes carlinella (Heinemann,1865)* (Pyrilidae) *carlinella* Heinemann,1865; *cretacella* Rössler,1866; *maritima* Tengström,1870; *senecionis* Vaughan,1870; *canisella* Ragonot,1901 13 65 71 76
- 341) *Phycitodes lacteella (Rothschild,1915)* (Pyrilidae) *lacteella* Rothschild,1915; *vietella* Roesler,1965. 03 06 09 13 16 31 34 38 42 46 65 71
- 342) *Phycitodes saxicola (Vaughan,1870)* (Pyrilidae) *saxicola* Vaughan,1870 01 06 07 09 13 35 42 44 65
- 343) *Pyrausta (Haematia) despicata (Scopoli,1763)* (Pyrilidae) *despicata* Scopoli,1763; *cespitis* [Denis & Schiffermüller],1775. 05 06 11 13 14 16 17 24 25 32 33 34 42 46 51 65 71
- 344) *Pyrausta (s.str.) inciae Koçak,1982* (Pyrilidae) *meridionalis* Staudinger,1880 nec Wcke,1871; *inciae* Koçak,1982. 13 33 42 65
- 345) *Saturnia (s.str.) pyri (Denis & Schiffermüller,1775)* (Saturniidae) *pyri* [Denis & Schiffermüller],1775; *teherana* Lenek,1970; *pinkerae* Kobes,1980. 05 06 07 10 13 15 16 17 19 22 26 28 30 32 33 38 42 44 46 47 50 53 58 64 65 76
- 346) *Arethusana arethusa (Denis & Schiffermüller,1775)* (Satyridae) *arethusa* [Denis & Schiffermüller],1775; *erythia* Hübner,1805; *pontica* Heyne,[1895]; *sultana* Wagner,1929; *hakkarica* Koçak,1975 (sensu Hesselbarth et al.,1995: 917). 03 04 05 06 07 08 10 11 13 14 16 19 20 22 24 25 26 29 30 32 33 35 36 38 39 42 50 51 53 58 60 65 66 69 70 71 76
- 347) *Brintesia circe (Fabricius,1775)* (Satyridae) *circe* Fabricius,1775; *proserpina* Denis & Schiffermüller,1775; *maga* Fruhstorfer,1909; *venefica* Fruhstorfer,1909; *gabala* Gaillard,1959; *maladetta* Varin,1962. 01 03 05 06 07 08 10 11 13 15 16 17 18 20 21 22 24 25 27 29 30 31 32 33 34 35 36 37 39 42 43 45 46 47 48 51 53 56 58 60 62 64 67 70 71 72 73 76
- 348) *Chazara (Neochazara) anthe (Hoffmannsegg,1804)* (Satyridae) *anthe* Hoffmannsegg,1804; *persephone* Hübner,1805; *anthe* Ochsenheimer,1807. 01 02 03 04 05 06 07 13 14 16 19 21 23 24 25 26 29 30 33 36 37 38 40 42 43 44 46 47 50 51 58 60 62 65 66 68 70 71 74 75 76 81
- 349) *Chazara (s.str.) bischoffi (Herrich-Schäffer,[1846])* (Satyridae) *bischoffi* Herrich-Schäffer,[1846] 01 04 06 07 08 13 21 23 24 25 29 30 36 38 40 42 44 46 49 50 51 53 58 60 62 65 66 68 69 76
- 350) *Chazara (s.str.) briseis (Linnaeus,1764)* (Satyridae) *briseis* Linnaeus,1764; *daedale* Bergsträßer,1780; *bataia* Fruhstorfer,1909; *interjecta* Verity,1916; *variabilis* Varin,1958; *pictonica* Varin,1958. 01 02 03 04 05 06 07 08 10 11 12 13 14 15 16 17 18 19 20 21 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 40 42 43 44 46 47 48 49 50 51 53 55 56 58 60 62 63 64 65 66 68 69 70 71 73 74 76 80
- 351) *Coenonympha pamphilus (Linnaeus,1758)* (Satyridae) *pamphilus* Linnaeus,1758; *menalcas* Poda,1761; *nephele* Hufnagel,1766; *marginata* Heyne,1894; *orantia* Fruhstorfer,1908; *scota* Verity,1911; *infrarasa* Verity,1926; *julidusica* Verity,1926; *asiaemontium* Verity,1926; *euxina* Verity,1926; *posteuxina* Verity,1926; *londonii* Verity,1926; *neolyllus* De Lattin,1950 01 03 04 05 06 07 08 09 10 11 12 13 14 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 73 74 75 76 77 81
- 352) *Coenonympha saadi (Kollar,[1849])* (Satyridae) *saadi* Kollar,[1849]; *iphias* Eversmann,1851. 02 12 13 21 23 25 27 30 44 46 47 56 58 62 63 65 72 73
- 353) *Esperarge (s.str.) clymene (Fabricius,1787)* (Satyridae) *climene* Esper,[1783]; *clymene* Fabricius,1787; *boroeas* Latreille,1803; *synclimene* Hübner,[1819]. 04 05 06 07 08 12 13 16 19 23 24 25 29 30 36 38 40 42 44 46 49 56 58 60 62 65 66 69 71 73 75 76
- 354) *Hipparchia (Neohipparchia) parisatis (Kollar,[1849])* (Satyridae) *parisatis* Kollar,[1849]; *macrophthalmus* Eversmann,1851; *malatinus* Heyne,1894; *ismail* Gross & Ebert,1975; *huochenensis* Huang & Zhou,2000. 04 08 12 13 21 23 24 25 30 31 36 44 46 47 56 58 62 63 65 73 76
- 355) *Hipparchia (Neohipparchia) statilinus (Hufnagel,1766)* (Satyridae) *statilinus* Hufnagel,1766; *fauna* Sulzer,1776 nec Drury,1773; *allionia* Fabricius,1781; *actaea* sensu Villers,1789; *arachne* Esper,1789 nec Denis & Schiff.,1775; *allionii* Hübner,1826, etc. 01 03 05 06 07 08 10 11 13 14 16 17 19 20 22 23 25 26 29 30 33 34 35 36 38 39 41 42 43 46 50 58 60 65 66 67 70 71 76 81
- 356) *Hipparchia (Parahipparchia) pellucida (Stauder,1924)* (Satyridae) *pellucida* Stauder,1924; *cotys* Jachontov,1935; *hesselbarthi* Kudrna,1976. 01 02 05 08 12 13 14 21 23 24 25 27 29 30 31 33 35 36 37 44 46 47 51 55 60 61 63 65 66 72 73 74 75 76 80
- 357) *Hipparchia (s.str.) syriaca (Staudinger,1871)* (Satyridae) *syriaca* Staudinger,1871; *attikana* Fruhstorfer,1907; *meschetica* Jachontov,1915; *tokatensis* Gross,1959. 01 03 05 06 07 08 09 10 11 12 13 14 15 16 17 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 42 43 44 46 47 48 51 55 58 60 62 64 65 66 68 71 72 73 74 75 76 77 80
- 358) *Hyponephele (s.str. (Ereminephele)) naricoides Gross,1977* (Satyridae) *naricoides* Gross,1977 04 13 24 30 36 44 58 65
- 359) *Hyponephele (s.str. (Turanepephele)) wagneri (Herrich-Schäffer,[1846])* (Satyridae) *wagneri* Herrich-Schäffer,[1846]; *schmidtii* Bang-Haas,1927. 01 02 07 12 13 21 23 24 27 30 33 44 47 50 56 58 62 63 65 73
- 360) *Hyponephele (s.str.) lupina (Costa,[1836])* (Satyridae) *lupina* Costa,[1836] 01 02 03 04 05 06 07 08 09 10 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 29 30 31 32 33 34 35 36 37 38 39 40 42 43 44 45 46 47 48 49 50 51 52 55 56 58 60 62 63 64 65 66 67 69 70 71 72 73 76 80

- 361) **Hyponephele (s.str.) lycaon (Rottemburg,1775)** (Satyridae) *lycaon Rottemburg,1775; #lycaon Kuhn,1774; eudora Esper,1778; janirula Esper,1800.* 01 02 03 04 07 08 09 11 12 13 14 15 16 20 21 23 24 25 26 27 29 30 32 33 35 36 38 42 43 44 46 47 48 49 50 51 56 60 62 63 65 70 73 75 76
- 362) **Hyponephele (s.str.) lycaonoides Weiss,1978** (Satyridae) *lycaonoides Weiss,1978* 07 13 65 69 73
- 363) **Hyponephele (s.str.) zuvandica Samodurov & Koroljev,1996** (Satyridae) *zuvandica Samodurov & Koroljev,1996; #zuvandi Korb,2000* 04 05 06 08 12 13 18 24 25 29 36 37 40 53 58 60 62 65 66 67 69 75 76
- 364) **Kirinia (Melike) roxelana (Cramer,[1777])** (Satyridae) *roxelana Cramer,[1777]* 01 02 03 05 06 07 08 09 10 11 13 14 15 16 17 19 20 21 22 23 25 26 27 29 30 31 32 33 34 35 38 39 42 43 44 45 46 47 48 49 51 55 56 59 60 62 65 66 71 72 73
- 365) **Lasiommata maera (Linnaeus,1758)** (Satyridae) *maera Linnaeus,1758; pandion Poda,1761; hiera Fab.,1777; maja Fuchs,1873; monotonia Schilde,1885; crimea Bang-Haas,1907; atabryris Fruhstorfer,1909.* 01 02 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 27 28 29 30 31 32 33 34 35 36 37 38 39 41 42 43 44 46 47 48 50 51 53 56 57 58 60 61 62 65 66 67 68 71 73 74 76 80
- 366) **Lasiommata megera (Linnaeus,1767)** (Satyridae) *megera Linnaeus,1767; caledonia Verity,1911; alticola Verity,1911; pseudoadrasta Stauder,1922; infrapallens Verity,1922; ocellator Verity,1923; pallidedepulverata Verity,1923.* 01 02 05 06 07 08 09 10 11 12 13 14 15 16 17 20 21 22 23 24 25 26 27 28 30 31 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 55 56 57 58 59 60 62 63 65 66 67 70 71 72 73 74 76 77 80
- 367) **Maniola (Telmessiola) telmessia (Zeller,1847)** (Satyridae) *telmessia Zeller,1847; pallescens Butler,1868; kurdistan Heyne,1894; oreas Le Cerf,1912; manioides Le Cerf,1912; ornata Turati & Fiori,1930; marenigrans Verity,1938; pelekasio Kattulas & Koutsafikis,1978.* 01 02 03 07 09 10 12 13 15 17 20 21 23 27 30 31 32 33 35 42 44 45 46 47 48 51 56 62 63 65 70 72 73 80
- 368) **Maniola (s.str.) jurtina (Linnaeus,1758)** (Satyridae) *jurtina Linnaeus,1758; janira Linnaeus,1758; lemur Schrank,1801.* 01 03 04 05 06 07 08 09 10 11 12 13 14 15 16 17 18 19 20 21 22 23 24 25 26 27 28 29 30 31 32 33 34 35 36 37 38 39 40 41 42 43 44 45 46 47 48 49 50 51 52 53 54 55 56 57 58 59 60 61 62 65 66 67 68 69 70 71 72 74 75 76 77 80 81
- 369) **Melanargia (Parce) russiae (Esper,[1784])** (Satyridae) *russiae Esper,[1784]; suwarovius Herbst,1796; clotho Hübner,[1800].* 04 13 25 30 36 65 69 75 76
- 370) **Melanargia (Turcargia) grumi Standfuss,1892** (Satyridae) *grumi Standfuss,1892* 02 13 21 23 30 47 56 63 72 73
- 371) **Melanargia (Turcargia) hylata (Ménétries,1832)** (Satyridae) *hylata Ménétries,1832* 04 13 30 65
- 372) **Melanargia (Turcargia) larissa (Geyer,[1828])** (Satyridae) *larissa Geyer,[1828].* 03 04 05 06 08 13 14 18 19 22 24 25 28 29 36 37 38 40 42 43 44 51 58 60 64 66 68 69 71 74 75 76
- 373) **Melanargia (Turcargia) syriaca (Oberthür,1894)** (Satyridae) *syriaca Oberthür,1894* 01 12 13 21 23 24 25 30 31 46 49 62 65 73 80
- 374) **Pararge aegeria (Linnaeus,1758)** (Satyridae) *aegeria Linnaeus,1758; meone Cramer,1782; egeria Ochsenheimer,1807; sardoa Verity,1908.* 01 05 06 07 08 09 11 13 14 15 16 17 18 20 21 25 27 28 29 30 31 32 33 34 35 38 41 42 44 46 47 48 52 53 55 60 61 67 73 74 77 81
- 375) **Proterebia afra (Fabricius,1787)** (Satyridae) *afra Fabricius,1787* 02 06 13 23 24 25 32 33 36 38 51 58 66 68 70 71
- 376) **Pseudochazara (Achazara) anthelea (Hübner,[1824])** (Satyridae) *anthelea Hübner,[1824]; atavirensis Coutsis,1973.* 01 02 03 05 06 07 08 10 11 12 13 14 15 16 18 19 20 21 23 24 25 26 29 31 32 33 35 36 37 38 40 42 43 44 45 46 48 49 50 51 55 56 58 60 62 63 64 65 66 68 69 70 71 72
- 377) **Pseudochazara (s.str.) beroe (Freyer,[1843])** (Satyridae) *beroe Freyer,[1843]* 01 03 04 06 07 08 13 16 24 25 29 30 32 33 34 36 38 42 44 46 51 53 58 60 65 69 70 76
- 378) **Pseudochazara (s.str.) geyeri (Herrich-Schäffer,[1846])** (Satyridae) *geyeri Herrich-Schäffer,[1846]; aristonicus Fruhstorfer,[1911]; selim Gross,1978, karsicola Gross,1978* 04 05 06 07 08 13 24 25 29 30 36 38 42 50 51 58 60 62 65 66 69 73 75 76
- 379) **Pseudochazara (s.str.) mamurra (Herrich-Schäffer,[1846])** (Satyridae) *mamurra Herrich-Schäffer,[1846]; sintenisi Staudinger,1895* 01 02 03 04 05 07 08 13 15 24 25 28 29 30 32 33 36 38 42 44 46 51 58 60 62 65 66 69 73 76
- 380) **Pseudochazara (s.str.) pelopea (Klug,1832)** (Satyridae) *pelopea Klug,1832* 01 02 04 12 13 21 23 25 27 29 30 36 38 44 46 47 49 53 56 58 62 63 65 73 76
- 381) **Satyrus (Asatyrus (s.str.)) iranica Schwingenschuss,1939** (Satyridae) *iranica Schwingenschuss,1939; kyros Gross & Ebert,1975.* 13 30 65 73
- 382) **Satyrus (s.str.(s.str.)) favonius Staudinger,[1892]** (Satyridae) *favonius Staudinger,[1892]* 01 04 07 08 12 13 24 25 27 31 33 36 42 44 46 49 51 53 58 62 63 65 76
- 383) **Satyrus (s.str.(s.str.)) parthicus Lederer,1869** (Satyridae) *parthicus Lederer,1869; pimpla sensu Wiltshire,1957* 13 24 25 29 30 65 69 76
- 384) **Bembecia (Pseudosphecia) stiziformis (Herrich-Schäffer,1851)** (Sesiidae) *stiziformis Herrich-Schäffer,1851; tubercula De Freina,1983; barbarossa De Freina,1983.* 01 04 05 12 13 30 36 47 49 50 65
- 385) **Chamaesphecia astatifomis (Herrich-Schäffer,1846)** (Sesiidae) *astatifomis Herrich-Schäffer,1846* 13 16 42
- 386) **Pyropteron triannuliformis (Freyer,1845)** (Sesiidae) *meriaeformis Assmann,1845 nec Bsd.,1840; triannuliformis Freyer,1845; braconiformis Herrich-Schäffer,1846; philanthiformis Lederer,1853 nec Lasp.,1801; armeniaca Bartel,1906; balcanica Zukowsky,1929; ljljanee Tosevski,1986; pungeleri K.Spatenka,1987* 01 04 05 06 07 08 13 16 22 25 30 31 34 35 36 39 42 44 46 50 58
- 387) **Deilephila suellus Staudinger,1878** (Sphingidae) *suellus Staudinger,1878; kuruschi O.Bang-Haas,1938.* 01 04 05 06 07 12 13 19 25 30 32 42 50 58 60 65 66 71
- 388) **Hemaris (Cochrania) croatica (Esper,[1779])** (Sphingidae) *croatica Esper,[1779]; sesia Hübner,[1806]; #obscurata Closs,1911; #rangnowi Closs,1911.* 05 06 13 16 30 33 42 44 45 46 50 60 65 71
- 389) **Hyles conspicua (Rothschild & Jordan,1903)** (Sphingidae) *conspicua Rothschild & Jordan,1903.* 01 05 06 07 09 10 13 14 15 16 17 20 24 25 30 32 33 35 36 42 45 46 47 50 51 58 60 63 65 73 76
- 390) **Tethea ocularis (Linnaeus,1767)** (Thyatiridae) *ocularis Linnaeus,1767; octogena Esper,1788* 03 06 12 13 14 15 17 19 32 36 37 42 43 46 50 60 62 65 71
- 391) **Eugnosta magnificana (Rebel,1914)** (Tortricidae) *margaritana Hübner,[1813] nec Haw.,[1811]; ? norvichiana Hübner,[1817] [nomina dubia!]; magnificana Rebel,1914.* 06 13 42 71
- 392) **Tortrix viridana (Linnaeus,1758)** (Tortricidae) *viridana Linnaeus,1758; suttneriana [Denis & Schiffermüller],1775; flavipes Fourcroy,1785; flavana Zincken,1821 nec Hübner,[1799]; coeruleana Sorhagen,1881.* 03 05 06 10 12 13 16 17 34 39 42 45 50 65 71 76
- 393) **Adscita (s.str.) storaiae Tarmann,1977** (Zygaenidae) *storaiae Tarmann,1977* 08 13 36 65
- 394) **Jordanita (Praviela) anatolica (Naufock,1929)** (Zygaenidae) *anatolica Naufock,1929; levantina Jordan,1931; pfeifferi Naufock,1935; ? christinae Keil,1998.* 13 23 27 30 33 42 44 46 47 63 65
- 395) **Jordanita (Roccia) volgensis (Möschler,1862)** (Zygaenidae) *volgensis Möschler,1862* 01 06 13 36 44 51 63 65 70
- 396) **Jordanita (Tremewania) notata (Zeller,1847)** (Zygaenidae) *notata Zeller,1847* 05 06 13 30 36 44 47 65 80
- 397) **Jordanita (s.str.) graeca (Jordan,1907)** (Zygaenidae) *graeca Jordan,1907; sultana Alberti,1937* 06 13 24 30 33 42 47 49 50 62 65
- 398) **Zygaena (Agrumenia) carniolica (Scopoli,1763)** (Zygaenidae) *carniolica Scopoli,1763* 01 04 05 06 08 13 14 16 22 23 24 25 29 30 31 33 34 35 36 37 38 41 42 43 46 58 60 65 71 76 77
- 399) **Zygaena (Agrumenia) olivieri Boisduval,1828** (Zygaenidae) *olivieri Boisduval,1828* 04 05 06 11 13 19 23 25 29 30 36 38 44 49 58 60 62 65 66 73 76

- 400) *Zygaena (Agrumenia) sedi* Fabricius, 1787 (*Zygaenidae*) *sedi* Fabricius, 1787 06 12 13 36 45 58 60
 401) *Zygaena (Mesembrynus) cambysea* Lederer, 1870 (*Zygaenidae*) *cambysea* Lederer, 1870 04 05 13 25 30 58 62 65 73
 402) *Zygaena (Mesembrynus) cuvieri* Boisduval, 1828 (*Zygaenidae*) *cuvieri* Boisduval, 1828 04 13 29 30 36 44 49 65 66 69 73 76
 403) *Zygaena (Mesembrynus) laeta* (Hübner, 1790) (*Zygaenidae*) *laeta* Hübner, 1790 05 06 11 13 16 25 38 42 46 58 66
 404) *Zygaena (Mesembrynus) lydia* Staudinger, 1887 (*Zygaenidae*) *lydia* Staudinger, 1887 01 13 30 36 44 65
 405) *Zygaena (Mesembrynus) minos* ([Denis & Schiffermüller], 1775) (*Zygaenidae*) *minos* [Denis & Schiffermüller], 1775. 01 06 07 10
 13 23 24 31 32 33 36 42 44 48 53 58 60 61 65 66 75
 406) *Zygaena (Mesembrynus) punctum* Ochsenheimer, 1808 (*Zygaenidae*) *punctum* Ochsenheimer, 1808 04 05 06 12 13 17 23 33 35 42
 44 45 49 57 58 60 66 76
 407) *Zygaena (Mesembrynus) purpuralis* (Brünnich, 1763) (*Zygaenidae*) *purpuralis* Brünnich, 1763; *pythia* Fabricius, 1777; *scabiosae* Scheven, 1777; *pilosellae* Esper, 1780; *pluto* Ochsenheimer, 1808; *pasiphae* Meigen, [1829]; *tatvanica* Reiss & Reiss, 1973. 04 05 06 08
 13 14 16 23 25 29 30 31 34 36 38 42 44 58 61 62 65 69 71 75 76
 408) *Zygaena (Mesembrynus) tamara* Christoph, 1889 (*Zygaenidae*) *tamara* Christoph, 1889 13 30 65
 409) *Zygaena (s.str.) dorycnii* Ochsenheimer, 1808 (*Zygaenidae*) *dorycnii* Ochsenheimer, 1808 04 06 08 11 13 14 24 25 28 29 33 36 38
 42 43 49 53 57 61 62 69 75 76
 410) *Zygaena (s.str.) filipendulae* (Linnaeus, 1758) (*Zygaenidae*) *filipendulae* Linnaeus, 1758; *aries* Retzius, 1783 01 05 06 08 11 13 14 16
 18 22 24 25 28 29 30 31 34 36 37 42 43 44 49 50 53 58 60 61 62 65 66 69 70 75 76
 411) *Zygaena (s.str.) loniceræ* (Scheven, 1777) (*Zygaenidae*) *loniceræ* Scheven, 1777; *graminis* Villers, 1789; *rechei* Dujardin, 1965; *microdoxa* Dujardin, 1965 05 06 08 13 14 16 24 25 29 36 42 55 58 62 76
 412) *Zygaena (s.str.) loti* ([Denis & Schiffermüller], 1775) (*Zygaenidae*) *loti* [Denis & Schiffermüller], 1775; *fulvia* Fabricius, 1777 04 05
 06 08 13 14 18 22 23 25 26 28 29 30 31 36 37 38 42 44 49 53 58 60 62 65 69 71 75 76
 413) *Zygaena (s.str.) osterodensis* Reiss, 1921 (*Zygaenidae*) *osterodensis* Reiss, 1921 13 36 49 53
 414) *Zygaena (s.str.) viciae* ([Denis & Schiffermüller], 1775) (*Zygaenidae*) *viciae* [Denis & Schiffermüller], 1775; *meliloti* Esper, 1789; *buglossi* Boisduval, 1829 08 13 18 24 25 28 38 46 49 58 60 71 76

Contents / İçindekiler: Kemal, M. & A.Ö.Koçak, Synonymical and distributional List of the species of Bitlis Province (East Turkey) (Lepidoptera), p.1 – Editorial, p. 8.

MISCELLANEOUS PAPERS

ISSN 1015-8235

Miscellaneous Papers is a scientific serial published by the Centre for Entomological Studies Ankara at irregular interval in a year. The serial serves as a refereed publication outlet and accepts original manuscripts on insects, especially **short** (2-16 pages) articles dealing with their taxonomy, nomenclature, checklist, fauna, biodiversity, distribution, biogeography, ecology, insect-plant interactions, bionomy, and behaviour. The CESA is a non-profit organization, no royalties will be paid to authors of contributions. Papers accepted become the copyright of the journal. Ten reprints of each paper are free of charge.



Centre for Entomological Studies Ankara

(A scientific Consortium)

(co-operation of research workers for pure-scientific, not commercial purpose)

Web Page of the Cesa: <http://www.cesa-tr.org/>

Scientific Serials: Priamus & Supplement (ISSN 1015-8243), Miscellaneous Papers (ISSN 1015-8235), Memoirs (ISSN-8227)

Owner / Sahibi - Editor / Yayıncı: Prof. Dr. Ahmet Ömer Koçak (c/o Yüzüncü Yıl University, Turkey) - Editor Assistents: Yrd. Doç. Dr. Muhabbet Kemal Koçak (c/o Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey).

Editorial Board of all Scientific Serials / Bütün Bilimsel Yayınların Yayın Kurulu: Insecta, taxonomy, nomenclature, ecology, faunistics: Prof. Dr. Ahmet Ömer Koçak ((Yüzüncü Yıl Üniversitesi, Turkey), Yrd. Doç. Dr. Muhabbet Kemal Koçak (Yüzüncü Yıl University, Turkey), Dr. Selma Seven (Gazi University, Turkey), General Entomology: Assoc. Prof. Dr. Paitoon Leksawasdi (Chiang Mai University, Faculty of Science, Thailand); Homoptera: Dr. Emine Demir (Turkey). Orthoptera: Dr. Piotr Naskrecki (Connecticut University, U.S.A.), Yrd. Doç. Dr. Mustafa Ünal (Abant İzzet Baysal University, Turkey), Yrd. Doç. Dr. Yusuf Hüseyinoğlu (Mersin University, Turkey), Yrd. Doç. Dr. Yaşar Gülmez (Gazi Osman Paşa University, Tokat). Coleoptera / Chrysomelidae: Assoc. Prof. M.S.Mohammedsaid (Malaysia). - Plant taxonomy, flora and vegetation: Prof. Dr. Mecit Vural (Gazi University, Turkey).

ALL RIGHTS RESERVED

Correspondences should be addressed to:

Prof. Dr. Ahmet Ömer Koçak, c/o Yüzüncü Yıl University, Fen-Edebiyat Fakültesi, Biyoloji Bölümü, Kampus, Van / Turkey. e-mail: cesa_tr@yahoo.com.tr

Yüzüncü Yıl Üniversitesi Matbaasında bastırılmıştır.

All serials are recorded regularly by the Zoological Record, Biosis, Garforth House, 54 Micklegate, York, North Yorkshire. fax (01904) 612793 - DCS@york.biosis.org